



MEDICARE

**McLaren Medicare
2025 Formulary
(List of Covered Drugs or “Drug List”)**

**McLaren Medicare Inspire (HMO)
McLaren Medicare Inspire Plus (HMO)
McLaren Medicare Inspire Flex (HMO-POS)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID: 25230

This formulary was updated on 03/19/2025

For more recent information or other questions, please contact McLaren Medicare Member Services at 833-358-2404 or, for TTY users, 711. Our hours of operation are: April 1-Sept. 30: Monday through Friday, 8 a.m. to 8 p.m. Oct. 1-March 31: Seven days a week, 8 a.m. to 8 p.m. (except Thanksgiving and Christmas days) or visit www.mclarenhealthplan.org/mclarenmedicare for additional information.

Note to existing members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to “we,” “us,” or “our,” it means McLaren Medicare. When it refers to “plan” or “our plan,” it means McLaren Medicare Inspire, McLaren Medicare Inspire Plus, and McLaren Medicare Inspire Flex.

This document includes a Drug List (formulary) for our plan, which is current as of 03/19/2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025 and from time to time during the year.

What is the McLaren Medicare formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by McLaren Medicare in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. McLaren Medicare will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a McLaren Medicare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: www.mclarenhealthplan.org/mclarenmedicare

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions for certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

- If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the McLaren Medicare’s Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we will immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or

remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

- If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the McLaren Medicare’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 03/19/2025. To get updated information about the drugs covered by McLaren Medicare please contact us. Our contact information appears on the front and back cover pages. Updates to this formulary will be posted on our website: www.mclarenhealthplan.org/mclarenmedicare. Copies of the latest print formularies with changes are available on our website every month as a downloadable PDF file or you can request a current copy with the changes at any time using our contact information on the front or back cover.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents.”. If you know what your drug is used for, look for the category name in the list that begins on 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next

to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

McLaren Medicare covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** McLaren Medicare requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from McLaren Medicare before you fill your prescriptions. If you don't get approval, McLaren Medicare may not cover the drug.
- **Quantity Limits:** For certain drugs, McLaren Medicare limits the amount of the drug that McLaren Medicare will cover. For example, McLaren Medicare provides 60 tablets per prescription for Entresto oral tablets. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, McLaren Medicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, McLaren Medicare may not cover Drug B unless you try Drug A first. If Drug A does not work for you, McLaren Medicare will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask McLaren Medicare to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the McLaren Medicare’s formulary?” on page v for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that McLaren Medicare does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by McLaren Medicare. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by McLaren Medicare.
- You can ask McLaren Medicare to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the McLaren Medicare’s Formulary?

You can ask McLaren Medicare to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive coverage restrictions including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, McLaren Medicare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, McLaren Medicare will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask us for a tiering or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber’s supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who have a change in level of care (setting) will be allowed up to a one-time 31-day transition supply per drug. For example, members who:

- Enter long-term care (LTC) facilities from hospitals are sometimes accompanied by a discharge list of medications from the hospital formulary, with very short term planning taken into account (often under 8 hours).
- Are discharged from a hospital to a home.
- End their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert to their Part D plan formulary.
- End a long-term care facility stay and return to the community. If a member has more than one change in level of care in a month, the pharmacy will have to call us to request an extension of the transition policy.

For more information

For more detailed information about your McLaren Medicare prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about McLaren Medicare, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or visit <http://www.medicare.gov>.

Drug Tier Copay Levels

This 2025 Comprehensive Formulary is a listing of brand-name and generic drugs. McLaren Medicare's Formulary covers drugs identified by Medicare as Part D drugs and your copay may differ depending upon the tier at which the drug resides.

The copay tiers for covered prescription medications are listed below. Consult your Evidence of Coverage for your applicable copays and coinsurance amounts.

Copay Tier	Type of Drug
Tier 1	Preferred Generic
Tier 2	Generic
Tier 3	Preferred Brand
Tier 4	Non-Preferred Brand
Tier 5	Specialty Tier
Tier 6	Select Care Drugs

McLaren Medicare Formulary

The formulary that begins on page 3 provides coverage information about the drugs covered by McLaren Medicare. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., warfarin).

The information in the Requirements/Limits column tells you if McLaren Medicare has any special requirements for coverage of your drug.

List of Abbreviations:

- **PA BdD:** Prior Authorization Restriction for Part B vs Part D Determination. This prescription drug has a Part B versus D administrative prior authorization requirement. This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
- **QL: Quantity Limit:** For certain drugs, McLaren Medicare limits the amount of the drug that we will cover. For example, McLaren Medicare provides twelve tablets per prescription for Sumatriptan Succinate. This may be in addition to a standard one-month or three-month supply.
- **ST: Step Therapy:** In some cases, McLaren Medicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.
- **PA: Prior Authorization:** McLaren Medicare requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **PA- HRM:** Prior Authorization Restriction for High-Risk Medications. This drug has been deemed to be potentially harmful and therefore, a High-Risk Medication for individuals 65 years or older. Members

aged 65 years or older are required to get prior authorization from our plan before you fill your prescription for this drug.

- **PA NSO:** Prior Authorization Restriction for New Starts Only. If there is no evidence that you have taken this drug before, you (or your prescriber) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
- **NDS: Non-Extended Days' Supply:** Drugs not available for an extended days' supply (i.e. more than a one-month supply) are noted with "NDS" in the Requirements/Limits column of your formulary.
- **HI: Home Infusion Coverage:** This prescription drug may be covered under our medical benefit. For more information, call Member Services at 833-358-2404, April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. TTY users should call 711 or you can visit our website at www.mclarenhealthplan.org/mclarenmedicare.
- **LA: Limited Availability:** This prescription may be available only at certain pharmacies. For more information, consult your Provider/Pharmacy Directory or call Member Services at 1-833-358-2404, April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. TTY users should call 711.
- **EX;CB: Excluded Part D Capped Benefit:** Drugs covered by the plan that are excluded by Medicare law that are covered by your plan as a supplemental or bonus drug but do not count toward TrOOP.
- **NM: Not Available by Mail Order:** These are typically medications that need to be ordered from a specialty pharmacy and are listed as TIER 5 medications and are restricted to a 30-day supply.

Table of Contents

Analgesics.....	3
Anesthetics.....	6
Anti-Addiction/Substance Abuse Treatment Agents.....	7
Antianxiety Agents.....	8
Antibacterials.....	9
Anticancer Agents.....	16
Anticonvulsants.....	34
Antidementia Agents.....	39
Antidepressants.....	40
Antidiabetic Agents.....	43
Antifungals.....	48
Antigout Agents.....	50
Antihistamines.....	51
Anti-Infectives (Skin And Mucous Membrane).....	51
Antimigraine Agents.....	51
Antimycobacterials.....	52
Antinausea Agents.....	53
Antiparasite Agents.....	54
Antiparkinsonian Agents.....	55
Antipsychotic Agents.....	56
Antivirals (Systemic).....	63
Blood Products/Modifiers/Volume Expanders.....	70
Caloric Agents.....	72
Cardiovascular Agents.....	73
Central Nervous System Agents.....	83
Contraceptives.....	87
Dental And Oral Agents.....	96
Dermatological Agents.....	96
Devices.....	100
Enzyme Cofactors/Chaperones.....	145
Enzyme Replacement/Modifiers	145
Eye, Ear, Nose, Throat Agents.....	146
Gastrointestinal Agents.....	150
Genitourinary Agents.....	153
Heavy Metal Antagonists.....	154
Hormonal Agents, Stimulant/Replacement/Modifying.....	154
Immunological Agents.....	159
Inflammatory Bowel Disease Agents.....	170

Metabolic Bone Disease Agents.....	171
Miscellaneous Therapeutic Agents.....	172
Ophthalmic Agents.....	173
Replacement Preparations.....	174
Respiratory Tract Agents.....	176
Skeletal Muscle Relaxants.....	180
Sleep Disorder Agents	181
Vasodilating Agents.....	181
Vitamins And Minerals.....	182

Drug Name	Drug Tier	Requirements/Limits	
Analgesics			
Analgesics, Miscellaneous			
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	NM; NDS; QL (4500 per 30 days)	
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	1	NM; NDS; QL (360 per 30 days)	
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	1	NM; NDS; QL (180 per 30 days)	
<i>buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	2	NM; NDS; QL (4 per 28 days)	
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	2	PA-HRM; NM; NDS; QL (180 per 30 days); AGE (Max 64 Years)	
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)	
<i>endocet oral tablet 10-325 mg</i>	(oxycodone-acetaminophen)	1	NM; NDS; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg</i>	(oxycodone-acetaminophen)	2	NM; NDS; QL (360 per 30 days)
<i>endocet oral tablet 5-325 mg</i>	(oxycodone-acetaminophen)	1	NM; NDS; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	1	NM; NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)	
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	2	PA; NDS; QL (120 per 30 days)	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	NM; NDS; QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 10-325 mg/15 ml	2	NDS; QL (2700 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	NM; NDS; QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg	1	NM; NDS; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 5-325 mg	1	NM; NDS; QL (240 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg (Dilaudid)	1	NM; NDS; QL (180 per 30 days)
hydromorphone oral tablet 8 mg (Dilaudid)	2	NM; NDS; QL (180 per 30 days)
methadone oral tablet 10 mg	1	NM; NDS; QL (120 per 30 days)
methadone oral tablet 5 mg	1	NM; NDS; QL (180 per 30 days)
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	1	PA; NM; NDS; QL (180 per 30 days)
morphine oral solution 10 mg/5 ml	1	NM; NDS; QL (700 per 30 days)
morphine oral solution 20 mg/5 ml (4 mg/ml)	1	NM; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NM; NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NM; NDS; QL (120 per 30 days)
morphine oral tablet extended release 100 mg, 200 mg, 60 mg (MS Contin)	1	NM; NDS; QL (60 per 30 days)
morphine oral tablet extended release 15 mg, 30 mg (MS Contin)	1	NM; NDS; QL (90 per 30 days)
oxycodone oral capsule 5 mg	1	NM; NDS; QL (180 per 30 days)
oxycodone oral tablet 10 mg, 5 mg	1	NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	1	NM; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 10-325 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 2.5-325 mg</i>	2	NM; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 5-325 mg</i>	1	NM; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 7.5-325 mg</i>	1	NM; NDS; QL (240 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	NM; NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	1	NM; NDS; QL (300 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)</i>	1	QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	1	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg</i>	1	
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg</i>	1	QL (120 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg</i>	1	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 % (Arthritis Pain (diclofenac))</i>	1	QL (1000 per 30 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %) (Pennsaid)</i>	5	PA; NM; NDS; QL (224 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i>	(Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i>	(Arthrotec 75)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>		2	
<i>etodolac oral tablet 400 mg</i>	(Lodine)	1	
<i>etodolac oral tablet 500 mg</i>		1	
<i>flurbiprofen oral tablet 100 mg</i>		1	
<i>ibu oral tablet 400 mg</i>	(ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i>	(ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg</i>	(IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i>	(IBU)	1	
<i>indomethacin oral capsule 25 mg, 50 mg</i>		1	PA-HRM; AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>		1	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>		1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>		1	
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	1	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i>	(EC-Naprosyn)	1	
<i>sulindac oral tablet 150 mg, 200 mg</i>		1	
Anesthetics			
Local Anesthetics			
<i>dermacinrx lidocan 5% patch outer applicator 2 %</i>	(lidocaine)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i>	(lidocaine hcl)	1	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i>	(Glydo)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>lidocaine topical adhesive patch,medicated 5 %</i>	(DermacinRx Lidocan)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>		2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	(lidocaine hcl)	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>		1	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i>	(lidocaine)	2	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %		3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents			
Anti-Addiction/Substance Abuse Treatment Agents			
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>		2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>		2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	(Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	(Suboxone)	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>		1	QL (90 per 30 days)
<i>bupropion hcl (smoking deterrent) oral tablet extended release 12 hr 150 mg</i>		1	
<i>disulfiram oral tablet 250 mg, 500 mg</i>		2	
KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION		3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>		1	
<i>naloxone injection syringe 0.4 mg/ml</i>		1	
<i>naloxone injection syringe 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>naloxone nasal spray,non-aerosol 4 mg/actuation</i> (Narcan)	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	1	
<i>NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML</i>	4	QL (240 per 180 days)
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablet 1 mg (56 pack)</i>	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NM; NDS; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	1	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	1	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>lorazepam 2 mg/ml oral concent</i>	(Lorazepam Intensol)	1	NM; NDS; QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner</i>	(Ativan)	1	
<i>lorazepam injection solution 2 mg/ml</i>	(Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i>	(Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>		1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	(lorazepam)	1	NM; NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	(Ativan)	1	NM; NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	(Ativan)	1	NM; NDS; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	(Restoril)	1	NM; NDS; QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg</i>	(Restoril)	2	NM; NDS; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i>	(Restoril)	2	NM; NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>		2	NM; NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i>	(Halcion)	2	NM; NDS; QL (60 per 30 days)

Antibacterials

Aminoglycosides

<i>amikacin injection solution 500 mg/2 ml</i>	2	HI
<i>ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML</i>	5	PA; NM; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	HI
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	HI
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	1	HI
<i>neomycin oral tablet 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl (Tobi) inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	HI
Antibacterials, Miscellaneous		
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	
<i>clindamycin phosphate injection solution 150 mg/ml</i>	2	HI
<i>colistin (colistimethate na) injection (Coly-Mycin M Parenteral) recon soln 150 mg</i>	5	NM; HI; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NM; HI; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	2	HI
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg (Zyvox)</i>	2	
<i>methenamine hippurate oral tablet 1 gram</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	1	HI
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	1	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	1	QL (60 per 30 days)
<i>trimethoprim oral tablet 100 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg (Vancocin)</i>	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg (Vancocin)</i>	2	QL (112 per 14 days)
<i>XIFAXAN ORAL TABLET 200 MG</i>	3	PA; QL (9 per 30 days)
<i>XIFAXAN ORAL TABLET 550 MG</i>	5	PA; NM; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	HI
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	HI
<i>cefixime oral capsule 400 mg</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	HI
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram (Tazicef)</i>	2	HI
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	HI
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	HI
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	HI
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	2	HI
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; HI; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg (Zithromax)</i>	2	HI
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml (Zithromax)</i>	2	
<i>azithromycin oral suspension for reconstitution 200 mg/5 ml (Zithromax)</i>	1	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml (E.E.S. Granules)</i>	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml (EryPed 400)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	HI
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	HI
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	HI
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	HI
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	HI
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	HI
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	HI
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LETOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	HI
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	HI
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	HI
Quinolones		
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	HI
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	HI
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin 400 mg/250 ml bag</i>	2	HI
<i>moxifloxacin oral tablet 400 mg</i>	2	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	2	HI
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	HI
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline hyclate oral capsule 100 mg</i>	1	
<i>doxycycline hyclate oral capsule 50 mg (Morgidox)</i>	1	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	
<i>doxycycline hyclate oral tablet 150 mg (Acticlate)</i>	1	
<i>doxycycline hyclate oral tablet 50 mg (Targadox)</i>	1	
<i>doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)</i>	1	
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg (Monodox)</i>	1	
<i>doxycycline monohydrate oral capsule 75 mg (Mondoxyne NL)</i>	1	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i>	1	
<i>doxycycline monohydrate oral tablet 50 mg</i>	1	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NM; HI; NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 mg (Zytiga)</i>	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml (fluorouracil)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; HI; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
bexarotene oral capsule 75 mg	(Targretin)	5	PA NSO; NM; NDS
bexarotene topical gel 1 %	(Targretin)	5	PA NSO; NM; NDS
bicalutamide oral tablet 50 mg	(Casodex)	1	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)		5	PA NSO; NM; NDS; QL (75 per 28 days)
bleomycin injection recon soln 15 unit, 30 unit		1	
bortezomib injection recon soln 1 mg, 2.5 mg		4	PA NSO; HI
bortezomib injection recon soln 3.5 mg	(Velcade)	4	PA NSO; HI
BORUZU INJECTION SOLUTION 2.5 MG/ML		4	PA NSO; HI
BOSULIF ORAL CAPSULE 100 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	(vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CAPRELSA ORAL TABLET 300 MG	(vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)		5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)		5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG		5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG		5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>		5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>		5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i>	(Frindovyx)	5	PA BvD; NM; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>		2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>		3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML		5	PA NSO; NM; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG		5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>dasatinib oral tablet 100 mg, 140 mg, (Sprycel) 50 mg, 70 mg, 80 mg</i>		5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i>	(Sprycel)	5	PA NSO; NM; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG		5	PA NSO; NM; NDS
DAURISMO ORAL TABLET 100 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	(Dacogen)	5	NM; HI; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	(Caelyx)	5	PA BvD; NM; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML		5	PA NSO; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG		4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG		4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG		4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)		4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML		5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML		5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG		5	NM; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML		5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML		5	PA NSO; NM; HI; NDS
ERIVEDGE ORAL CAPSULE 150 MG		5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG		5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg</i>	(Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>		5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 25 mg</i>		5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG		4	HI
<i>etoposide intravenous solution 20 mg/ml</i>		2	HI
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)		5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)		5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)		5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)		2	
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG		5	PA BvD; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG		3	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>		1	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>		2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)		2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG		5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)		5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG		5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>gefitinib oral tablet 250 mg</i>	(Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG	(lomustine)	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG	(lomustine)	5	NM; NDS
GOMEKLI ORAL CAPSULE 1 MG		5	PA NSO; NM; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG		5	PA NSO; NM; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG		5	PA NSO; NM; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML		5	PA NSO; NM; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG		5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i>	(Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	(Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>		2	
<i>imatinib oral tablet 100 mg</i>	(Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i>	(Gleevec)	2	PA NSO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
IMBRUICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (216 per 30 days)
IMBRUICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NM; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NM; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IWLFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	1	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	HI
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; HI; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; HI; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium 500 mg/20 ml suv. p/f 25 mg/ml</i>	5	NM; HI; NDS
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NM; HI; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	5	NM; HI; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; HI; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 (mercaptopurine) MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	1	HI
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	HI
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NM; NDS
vyloy intravenous recon soln 100 MG	5	PA NSO; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XALKORI ORAL PELLET 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLET 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YEROVY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; HI; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg,</i> <i>300 mg</i>	2	
<i>carbamazepine oral suspension 100</i> (Tegretol) <i>mg/5 ml</i>	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	1	
<i>carbamazepine oral tablet extended</i> (Tegretol XR) <i>release 12 hr 100 mg, 200 mg, 400</i> <i>mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	
<i>carbamazepine oral tablet, chewable 200 mg</i>	2	
<i>clobazam oral suspension 2.5 mg/ml (Onfi)</i>	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg (Onfi)</i>	2	QL (60 per 30 days)
<i>DIACOMIT ORAL CAPSULE 250 MG</i>	5	PA NSO; NM; NDS; QL (360 per 30 days)
<i>DIACOMIT ORAL CAPSULE 500 MG</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>DIACOMIT ORAL POWDER IN PACKET 250 MG</i>	5	PA NSO; NM; NDS; QL (360 per 30 days)
<i>DIACOMIT ORAL POWDER IN PACKET 500 MG</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i>	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	1	
<i>EPIDIOLEX ORAL SOLUTION 100 MG/ML</i>	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg (carbamazepine)</i>	1	
<i>EPRONTIA ORAL SOLUTION 25 MG/ML</i>	4	ST
<i>ethosuximide oral capsule 250 mg (Zarontin)</i>	1	
<i>ethosuximide oral solution 250 mg/5 ml</i>	1	
<i>felbamate oral suspension 600 mg/5 ml</i>	2	
<i>felbamate oral tablet 400 mg, 600 mg (Felbatol)</i>	2	
<i>FINTEPLA ORAL SOLUTION 2.2 MG/ML</i>	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	(Cerebyx)	2	HI
FYCOMPA ORAL SUSPENSION 0.5 MG/ML		5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG		5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG		4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG		5	ST; NM; NDS; QL (60 per 30 days)
<i> gabapentin oral capsule 100 mg, 300 mg</i>	(Neurontin)	1	QL (360 per 30 days)
<i> gabapentin oral capsule 400 mg</i>	(Neurontin)	1	QL (270 per 30 days)
<i> gabapentin oral solution 250 mg/5 ml</i>	(Neurontin)	2	QL (2160 per 30 days)
<i> gabapentin oral tablet 600 mg</i>	(Neurontin)	1	QL (180 per 30 days)
<i> gabapentin oral tablet 800 mg</i>	(Neurontin)	1	QL (120 per 30 days)
<i> lacosamide intravenous solution 200 mg/20 ml</i>	(Vimpat)	1	QL (200 per 5 days)
<i> lacosamide oral solution 10 mg/ml</i>	(Vimpat)	2	QL (1200 per 30 days)
<i> lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Vimpat)	2	QL (60 per 30 days)
<i> lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	(Subvenite)	1	
<i> lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	(Lamictal)	2	
<i> lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	(Lamictal ODT)	2	
<i> levetiracetam intravenous solution 500 mg/5 ml</i>	(Keppra)	2	HI
<i> levetiracetam oral solution 100 mg/ml</i>	(Keppra)	1	
<i> levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	(Keppra)	1	
<i> levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	(Keppra XR)	2	
<i> levetiracetam oral tablet for suspension 250 mg</i>	(Spritam)	2	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
<i>methylsuximide oral capsule 300 mg</i> (Celontin)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	1	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	(phenytoin sodium extended)	4
<i>phenytoin oral suspension 125 mg/5 ml</i>	(Dilantin-125)	1
<i>phenytoin oral tablet, chewable 50 mg</i>	(Dilantin Infatabs)	1
<i>phenytoin sodium extended oral capsule 100 mg</i>	(Dilantin Extended)	1
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	(Phenytek)	1
<i>phenytoin sodium intravenous solution 50 mg/ml</i>		1 HI
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>		1 HI
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	(Lyrica)	1 QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	(Lyrica)	1 QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	(Lyrica)	2 QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>		2
<i>primidone oral tablet 250 mg, 50 mg</i>	(Mysoline)	1
<i>rufinamide oral suspension 40 mg/ml</i>	(Banzel)	5 ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i>	(Banzel)	2 ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
rufinamide oral tablet 400 mg (Banzel)	5	ST; NM; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	4	ST
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg	2	
topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)	2	
topiramate oral capsule, sprinkle 50 mg	2	
topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)	1	
valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)	2	HI
valproic acid (as sodium salt) oral solution 250 mg/5 ml	1	
valproic acid oral capsule 250 mg	1	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NM; NDS; QL (10 per 30 days)
vigabatrin oral powder in packet 500 mg (Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg (Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadron oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
vigadrone oral tablet 500 mg (vigabatrin)		5	PA NSO; NM; NDS; QL (180 per 30 days)
vigpoder oral powder in packet 500 mg (vigabatrin)		5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)		4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG		4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG		4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)		4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML		4	
zonisamide oral capsule 100 mg, 25 mg (Zonegran)		1	
zonisamide oral capsule 50 mg		1	
ZTALMY ORAL SUSPENSION 50 MG/ML		5	PA NSO; NM; NDS; QL (1080 per 30 days)
Antidementia Agents			
Antidementia Agents			
donepezil oral tablet 10 mg, 5 mg (Aricept)		1	QL (30 per 30 days)
donepezil oral tablet 23 mg (Aricept)		2	QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg		1	
donepezil oral tablet,disintegrating 5 mg		1	QL (30 per 30 days)
ergoloid oral tablet 1 mg		2	
galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg		2	QL (30 per 30 days)
galantamine oral solution 4 mg/ml		2	QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg		2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 7 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	1	QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i>	2	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	
<i>AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG</i>	5	ST; NM; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	1	
<i>bupropion hcl oral tablet sustained- release 12 hr 100 mg, 150 mg, 200 mg</i>	1	
<i>citalopram oral solution 10 mg/5 ml</i>	2	
<i>citalopram oral tablet 10 mg</i>	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	2	
<i>desipramine oral tablet 10 mg, 25 mg</i>	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg (Cymbalta)</i>	1	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)</i>	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg (Prozac)</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	1	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	1	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
<i>SPRAVATO NASAL SPRAY,NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)</i>	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
<i>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</i>	3	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg</i> (Effexor XR)	1	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg (Viibryd)</i>	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 14 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)</i>	1	
<i>FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)</i>	3	QL (30 per 30 days)
<i>GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG</i>	3	QL (30 per 30 days)
<i>JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG</i>	3	QL (60 per 30 days)
<i>JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG</i>	3	QL (30 per 30 days)
<i>JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG</i>	3	QL (60 per 30 days)
<i>JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG</i>	3	QL (30 per 30 days)
<i>JARDIANCE ORAL TABLET 10 MG, 25 MG</i>	3	QL (30 per 30 days)
<i>JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG</i>	3	QL (60 per 30 days)
<i>JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG</i>	3	QL (60 per 30 days)
<i>JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG</i>	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>metformin oral solution 500 mg/5 ml (Riomet)</i>	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	6	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg (Korlym)</i>	5	PA; NM; NDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	6	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)</i>	6	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	6	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg (Actoplus MET)</i>	6	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70-30FlexPen U-100)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U-100 Insulin)	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)	
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	3	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG-YFGN) PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec)	3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		3	max \$35 copay per month supply; QL (15 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	6	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	6	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	6	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg</i>	6	QL (60 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	QL (240 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i>	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i>	6	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	PA-HRM; AGE (Max 64 Years)
Antifungals		
Antifungals		
<i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous (AmBisome) suspension for reconstitution 50 mg</i>	5	PA BvD; NM; NDS
<i>ciclopirox topical cream 0.77 % (Ciclodan)</i>	1	QL (180 per 30 days)
<i>ciclopirox topical solution 8 % (Ciclodan)</i>	1	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 % (Loprox (as olamine))</i>	2	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	1	
<i>clotrimazole topical cream 1 % (Antifungal (clotrimazole))</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>clotrimazole topical solution 1 %</i>	(Athlete's Foot (clotrimazole))	1	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		1	QL (90 per 30 days)
<i>econazole nitrate topical cream 1 %</i>		1	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>		2	HI
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>		2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	(Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 200 mg</i>	(Diflucan)	1	
<i>fluconazole oral tablet 150 mg, 50 mg</i>		1	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		2	
<i>griseofulvin microsize oral tablet 500 mg</i>		2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		2	
<i>griseofulvin ultramicrosize oral tablet 165 mg</i>	(Fulvicin P/G)	2	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>		1	
<i>ketoconazole topical cream 2 %</i>		1	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>		1	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i>	(Mycamine)	2	HI
<i>miconazole-3 vaginal suppository 200 mg</i>		1	
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>nystatin oral suspension 100,000 unit/ml</i>		1	
<i>nystatin oral tablet 500,000 unit</i>		1	
<i>nystatin topical cream 100,000 unit/gram</i>		1	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>		1	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	1	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>		1	
<i>nystop topical powder 100,000 unit/gram</i>	(nystatin)	1	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	(Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>		1	
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	5	PA BvD; NM; HI; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg</i>		2	
<i>voriconazole oral tablet 50 mg</i>	(Vfend)	2	
Antigout Agents			
Antigout Agents, Other			
<i>allopurinol oral tablet 100 mg</i>	(Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>		1	
<i>colchicine oral capsule 0.6 mg</i>	(Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i>	(Colcrys)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	(Uloric)	2	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>		2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Antihistamines		
Antihistamines		
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	1	QL (9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i>	1	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	1	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, suv</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i>	1	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	2	QL (5 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	1	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
rifabutin oral capsule 150 mg	2	
rifampin intravenous recon soln 600 mg (Rifadin)	2	HI
rifampin oral capsule 150 mg, 300 mg	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
aprepitant oral capsule 125 mg	2	PA BvD; QL (2 per 28 days)
aprepitant oral capsule 40 mg	2	PA BvD; QL (1 per 28 days)
aprepitant oral capsule 80 mg (Emend)	2	PA BvD; QL (4 per 28 days)
aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2) (Emend)	2	PA BvD
compro rectal suppository 25 mg (prochlorperazine)	2	
dronabinol oral capsule 10 mg, 2.5 mg, 5 mg (Marinol)	2	PA; QL (60 per 30 days)
meclizine oral tablet 12.5 mg	1	
meclizine oral tablet 25 mg (Dramamine (meclizine))	1	
ondansetron hcl oral tablet 4 mg, 8 mg	1	PA BvD
ondansetron oral tablet, disintegrating 4 mg, 8 mg	1	PA BvD
prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)	1	
prochlorperazine maleate oral tablet 10 mg, 5 mg (Compazine)	1	
prochlorperazine rectal suppository 25 mg (Compro)	2	
promethazine injection solution 25 mg/ml (Phenergan)	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 25 mg (Promethegan)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg (promethazine)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch (Transderm-Scop) 3 day 1 mg over 3 days</i>	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)

Antiparasite Agents

Antiparasite Agents

<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	2	
<i>atovaquone-proguanil oral tablet 250-100 mg (Malarone)</i>	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg (Malarone Pediatric)</i>	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
<i>COARTEM ORAL TABLET 20-120 MG</i>	4	
<i>hydroxychloroquine oral tablet 100 mg</i>	1	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg (Plaquenil)</i>	1	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg (Sovuna)</i>	1	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	1	QL (60 per 30 days)
<i>IMPAVIDO ORAL CAPSULE 50 MG</i>	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg (Stromectol)</i>	1	
<i>mefloquine oral tablet 250 mg</i>	1	
<i>nitazoxanide oral tablet 500 mg (Alinia)</i>	5	NM; NDS; QL (60 per 30 days)
<i>paromomycin oral capsule 250 mg (Humatin)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>pentamidine inhalation recon soln</i> 300 mg	(Nebupent)	2	PA BvD
<i>pentamidine injection recon soln</i> 300 mg	(Pentam)	2	HI
<i>praziquantel oral tablet</i> 600 mg	(Biltricide)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)		4	
<i>pyrimethamine oral tablet</i> 25 mg	(Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule</i> 324 mg	(Qualaquin)	2	PA
<i>tinidazole oral tablet</i> 250 mg, 500 mg		2	

Antiparkinsonian Agents

Antiparkinsonian Agents

<i>amantadine hcl oral capsule</i> 100 mg		1	
<i>amantadine hcl oral solution</i> 50 mg/5 ml		1	
<i>amantadine hcl oral tablet</i> 100 mg		2	
<i>benztropine oral tablet</i> 0.5 mg, 1 mg, 2 mg		1	
<i>bromocriptine oral tablet</i> 2.5 mg		2	
<i>cabergoline oral tablet</i> 0.5 mg		1	
<i>carbidopa-levodopa oral tablet</i> 10-100 mg	(Sinemet)	1	
<i>carbidopa-levodopa oral tablet</i> 25-100 mg	(Dhivy)	1	
<i>carbidopa-levodopa oral tablet</i> 25-250 mg		1	
<i>carbidopa-levodopa oral tablet</i> extended release 25-100 mg, 50-200 mg		1	
<i>carbidopa-levodopa oral tablet</i> ,disintegrating 10-100 mg, 25-100 mg, 25-250 mg		2	
<i>entacapone oral tablet</i> 200 mg		2	
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG		5	PA; NM; NDS; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i>	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	
<i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	1	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NM; NDS; QL (560 per 28 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	(Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>		2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>		2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML		5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML		5	NM; NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML		5	NM; NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML		5	NM; NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML		5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i>	(Saphris)	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG		5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>		2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>		2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>		2	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	(Clozaril)	1	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>		2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>		2	ST; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>clozapine oral tablet,disintegrating 200 mg</i>	2	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG	5	ST; NM; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NM; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NM; NDS; QL (2.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NM; NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg</i>	2	
<i>fluphenazine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	2	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NM; NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)</i>	1	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	(Seroquel) 1	
<i>quetiapine oral tablet 150 mg</i>	1	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	(Seroquel XR) 2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml</i>	(Risperdal Consta) 2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 25 mg/2 ml</i>	(Rykindo) 2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	(Rykindo) 5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	(Risperdal) 2	
<i>risperidone oral tablet 0.25 mg</i>	1	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	(Risperdal) 1	
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
RYKINDO INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	(risperidone microspheres) 5	NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML (cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml))	5	NM; NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i>	(Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG		5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG		5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	(Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG		5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG		5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>		2	
DOVATO ORAL TABLET 50-300 MG		5	NM; NDS
EDURANT ORAL TABLET 25 MG		5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>		2	
<i>efavirenz oral tablet 600 mg</i>		2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>		5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i>	(Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i>	(Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i>	(Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	(Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i>	(Truvada)	2	
EMTRIVA ORAL SOLUTION 10 MG/ML		4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)		4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	(Intelence)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml (Epivir)</i>	2	
<i>lamivudine oral tablet 100 mg</i>	2	
<i>lamivudine oral tablet 150 mg, 300 mg (Epivir)</i>	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)</i>	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)</i>	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)</i>	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg (Selzentry)</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	1	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	2	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NM; NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	HI
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg (Norvir)</i>	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG		5	NM; NDS
VOCABRIA ORAL TABLET 30 MG		4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)		2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)		2	
<i>zidovudine oral tablet 300 mg</i>		1	
Antivirals, Miscellaneous			
LIVTENCITY ORAL TABLET 200 MG		5	PA; NM; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)		1	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)		1	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)		1	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)		2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG		1	\$0 copay until 2/28/25; QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG		1	\$0 copay until 2/28/25; QL (30 per 5 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG		5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION		4	QL (60 per 180 days)
Hcv Antivirals			
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG		5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG		5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG		5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG		5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG		5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NM; NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
<i>dabigatran etexilate oral capsule 110 (Pradaxa) mg, 150 mg, 75 mg</i>	2	QL (60 per 30 days)
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	3	
<i>ELIQUIS ORAL TABLET 2.5 MG</i>	3	QL (60 per 30 days)
<i>ELIQUIS ORAL TABLET 5 MG</i>	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe (Lovenox) 100 mg/ml, 150 mg/ml</i>	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml</i>	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 (Lovenox) mg/0.3 ml</i>	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 (Lovenox) mg/0.4 ml</i>	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 (Lovenox) mg/0.6 ml</i>	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe (Arixtra) 10 mg/0.8 ml</i>	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe (Arixtra) 2.5 mg/0.5 ml</i>	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 (Arixtra) mg/0.4 ml</i>	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe (Arixtra) 7.5 mg/0.6 ml</i>	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	HI
<i>heparin sodium 5,000 unit/ml vial suv, outer</i>	2	HI
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NM; NDS; QL (60 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg (Agrylin)</i>	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>tranexamic acid oral tablet 650 mg</i>	2	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	
<i>dipyridamole oral tablet 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel hcl oral tablet 10 mg, 5 mg (Effient)</i>	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	HI
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	
clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr	2	
clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr	2	
clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr	2	
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg	1	
droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg	1	
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
prazosin oral capsule 1 mg, 2 mg, 5 mg	1	
Angiotensin II Receptor Antagonists		
candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	6	
<i>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</i> (sacubitril-valsartan)	3	QL (60 per 30 days)
<i>ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG</i>	3	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	
<i>olmesartanamlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	6	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	6	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Angiotensin-Converting Enzyme Inhibitors		
benazepril oral tablet 10 mg, 20 mg, 40 mg (Lotensin)	6	
benazepril oral tablet 5 mg	6	
benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Lotensin HCT)	6	
benazepril-hydrochlorothiazide oral tablet 5-6.25 mg	6	
captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg	6	
enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)	6	
enalapril-hydrochlorothiazide oral tablet 10-25 mg (Vaseretic)	6	
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg	6	
fosinopril oral tablet 10 mg, 20 mg, 40 mg	6	
fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg	6	
lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg (Zestril)	6	
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)	6	
moexipril oral tablet 15 mg, 7.5 mg	6	
perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg	6	
quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)	6	
quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)	6	
ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	6	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)	1	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 200 mg, (amiodarone) 400 mg</i>	2	
<i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	(Coreg)	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>		1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	(Toprol XL)	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i>	(Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>		1	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	(Bystolic)	1	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	(Inderal LA)	1	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>		1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	(sotalol)	1	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	(sotalol)	1	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i>	(Sotalol AF)	1	
<i>sotalol oral tablet 240 mg</i>	(Betapace)	1	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>		2	
Calcium-Channel Blocking Agents			
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	(diltiazem hcl)	1	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i>	(Tiadylt ER)	1	
<i>diltiazem 24hr er 420 mg cap</i>	(Tiadylt ER)	1	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>		2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i>	(Tiadylt ER)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(Cartia XT)	1	
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg	(Cardizem)	1	
diltiazem hcl oral tablet 90 mg		1	
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg	(diltiazem hcl)	1	
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	(diltiazem hcl)	1	
tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	(diltiazem hcl)	1	
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg		1	
verapamil oral capsule,ext rel. pellets 24 hr 360 mg		4	
verapamil oral tablet 120 mg, 40 mg, 80 mg		1	
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg		1	
Cardiovascular Agents, Miscellaneous			
CORLANOR ORAL SOLUTION 5 MG/5 ML		3	QL (600 per 30 days)
digoxin injection syringe 250 mcg/ml (0.25 mg/ml)		2	
digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(Digitek)	1	
digoxin oral tablet 62.5 mcg (0.0625 mg)	(Lanoxin)	1	
epinephrine injection auto-injector 0.15 mg/0.15 ml	(Auvi-Q)	3	QL (4 per 30 days)
epinephrine injection auto-injector 0.15 mg/0.3 ml	(EpiPen Jr)	2	QL (4 per 30 days)
epinephrine injection auto-injector 0.3 mg/0.3 ml		3	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	(Auvi-Q)	2	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	(Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i>	(Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i>	(Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>		2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>		2	QL (120 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG		4	PA; QL (30 per 30 days)
Dihydropyridines			
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i>	(Lotrel)	6	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>		6	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	(Azor)	6	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	(Exforge)	6	
<i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>	(Exforge HCT)	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>		1	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	(Procardia XL)	1	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Diuretics		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg</i>	1	
<i>spironolactone-hydrochlorothiazide oral tablet 25-25 mg</i>	1	
<i>toresemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazide oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazide oral tablet 37.5-25 mg, 75-50 mg</i>	1	
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet (Caduet) 10-10 mg, 5-10 mg</i>	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	(Caduet)	6	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>		6	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	(Lipitor)	6	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	(Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i>	(cholestyramine- aspartame)	2	
<i>colesevelam oral powder in packet 3.75 gram</i>	(WelChol)	2	
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	2	
<i>colestipol oral packet 5 gram</i>		2	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 10 mg</i>	(Vytorin 10-10)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 20 mg</i>	(Vytorin 10-20)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 40 mg</i>	(Vytorin 10-40)	6	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 80 mg</i>	(Vytorin 10-80)	6	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>		1	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	1	
<i>fenofibrate oral tablet 120 mg, 40 mg</i>	(Fenoglide)	1	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		1	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>		6	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	(Lescol XL)	6	
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i>	(Vascepa)	2	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	2	QL (120 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	1	
<i>niacor oral tablet 500 mg</i> (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	6	QL (30 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	
<i>isosorbide dinitrate oral tablet 40 mg (Isordil)</i>	1	
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	1	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	1	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NM; NDS; QL (60 per 30 days)	
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NM; NDS; QL (30 per 30 days)	
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)	
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS	
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)	
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)	
AVONEX PEN 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)	
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	(Ampyra)	2	PA; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	1	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	(Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
<i>fingolimod oral capsule 0.5 mg</i>	(Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Glatopa)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Glatopa)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	1	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)		5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG		5	PA; NM; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG		5	PA; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML		5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>		1	
<i>lithium carbonate oral tablet 300 mg</i>		1	
<i>lithium carbonate oral tablet extended release 300 mg</i>	(Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral solution 10 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	5	PA; NM; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	1	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	1	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>amethyst (28) oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)	1	
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	1	
<i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	1	
<i>aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg</i> (norethindrone ac-eth estradiol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
aurovela 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	1	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	1	
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
aviane oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	
ayuna oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estriadiol/e.estriadiol)	1	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	1	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
camila oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
chateal eq (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	
cryselle (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	1	
cyclafem 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	
cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	
cyred eq oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	1	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	1	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	1	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	1	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	1	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
femynor oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	
hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	1	
hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
haloette vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	1	QL (1 per 28 days)
heather oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)
incassia oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
isibloom oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	
jencycla oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	1	
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	1	
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	1	
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estriadiol/e.estriadiol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	1	
<i>larin fe 1.5/30 (28) oral tablet 1.5-mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	1	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	
<i>levonorgest-eth.estriadiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	1	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	1	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	1	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>mini oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
NEXPLANON SUBDERMAL IMPLANT 68 MG		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>norelgestromin-ethinestradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	1	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tilia Fe)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarrylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarrylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Estarrylla)	1	
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		1	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	1	
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG		4	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	1	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	1	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estriadiol-iron)	1	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estriadiol-iron)	1	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	
<i>valtya oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	
Dental And Oral Agents			
Dental And Oral Agents			
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1	
<i>triamicinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	1	
Dermatological Agents			
Dermatological Agents, Other			
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>		1	
<i>ammonium lactate topical lotion 12 %</i>	(AmLactin)	1	
<i>calcipotriene scalp solution 0.005 %</i>		2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>		2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>		2	QL (120 per 30 days)
<i>fluorouracil topical cream 5 %</i>	(Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>imiquimod topical cream in packet 5 %</i>	1	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (60 per 28 days)
<i>podofilox topical solution 0.5 %</i>	2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin)</i>	2	
Dermatological Antibacterials		
<i>clindamycin phosphate topical solution 1 %</i>	1	QL (180 per 30 days)
<i>clindamycin phosphate topical swab (Clindacin ETZ) 1 %</i>	1	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	
<i>erythromycin with ethanol topical solution 2 %</i>	1	
<i>gentamicin topical cream 0.1 %</i>	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 % (Rosadan)</i>	2	
<i>metronidazole topical gel 0.75 % (Rosadan)</i>	2	
<i>metronidazole topical gel 1 % (Metrogel)</i>	2	
<i>mupirocin topical ointment 2 % (Centany)</i>	1	QL (220 per 30 days)
<i>neuac topical gel 1.2 %(1 % base) -5 (clindamycin-benzoyl peroxide) %</i>	1	
<i>rosadan topical cream 0.75 % (metronidazole)</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>silver sulfadiazine topical cream 1 % (SSD)</i>	1	
<i>ssd topical cream 1 % (silver sulfadiazine)</i>	4	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 % (hydrocortisone)</i>	1	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	1	
<i>betamethasone valerate topical lotion 0.1 %</i>	1	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene (augmented))</i>	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 % (Clobex)</i>	2	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 % (Clobex)</i>	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 % (Olux-E)</i>	2	
<i>EUCRISA TOPICAL OINTMENT 2 %</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	1	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	1	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	1	
<i>mometasone topical ointment 0.1 %</i>	1	
<i>mometasone topical solution 0.1 %</i>	1	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	
<i>procosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	
<i>protozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	QL (100 per 30 days)	
<i>triamcinolone acetonide topical cream 0.025 %</i>	1		
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1		
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1		
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1		
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	1		
Dermatological Retinoids			
<i>adapalene topical cream 0.1 %</i> (Differin)	2		
<i>ALTRENO TOPICAL LOTION 0.05 %</i>	4	PA	
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2		
<i>tretinoi topical cream 0.025 %</i> (Avita)	2	PA	
<i>tretinoi topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA	
Scabicides And Pediculicides			
<i>malathion topical lotion 0.5 %</i> (Ovide)	2		
<i>permethrin topical cream 5 %</i> (Elimite)	1	QL (60 per 30 days)	
Devices			
Devices			
<i>1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"</i>	(pen needle, diabetic)	1	PA; ST
<i>1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"</i>	(pen needle, diabetic)	1	PA; ST
<i>1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"</i>	(pen needle, diabetic)	1	PA; ST
<i>1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"</i>	(pen needle, diabetic)	1	PA; ST
<i>1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"</i>	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
ALCOHOL 70% SWABS	(Alcohol Pads)	1	PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
AQ INSULIN SYR 1 ML 31G 8MM (RX) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	1	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		1	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		1	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		1	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		1	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		1	PA; ST
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		1	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		1	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		1	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "		1	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"		1	PA; ST
BD INS SYR UF 0.3 ML 12.7MMX30G 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	(insulin u-500 syringe- needle)	1	PA; ST
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		1	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		1	PA; ST
BD INSULIN SYR 1 ML 27GX12.7MM 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST
BD INSULIN SYR UF 1 ML 8MMX31G 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML	(insulin syringe needleless)	1	PA; ST
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	1	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		1	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		1	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		1	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		1	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		1	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		1	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		1	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		1	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		1	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	1	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	1	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 4MM 31 GAUGE X 5/32"	1	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	1	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	1	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	1	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	1	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	1	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	1	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	1	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	1	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	1	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X 2" (gauze bandage)	1	PA; ST
CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "		1	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"		1	PA; ST
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		1	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		1	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		1	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		1	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		1	PA; ST
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		1	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		1	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		1	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"		1	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"		1	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"		1	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"		1	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	PA; ST
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	PA; ST
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		1	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		1	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		1	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		1	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		1	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		1	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		1	PA; ST
EASY TOUCH INSULIN SYR 0.3 (insulin syringe-needle ML 0.3 ML 30 GAUGE X 5/16", 0.3 u-100) ML 31 GAUGE X 5/16"		1	PA; ST
EASY TOUCH INSULIN SYR 0.5 (insulin syringe-needle ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100) ML 31 GAUGE X 5/16"		1	PA; ST
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 ML u-100) 31 GAUGE X 5/16		1	PA; ST
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 GAUGE X 1/2"		1	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		1	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		1	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	PA; ST
EASY TOUCH LUER LOK INSUL (insulin syringe 1 ML needleless)		1	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"		1	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16"		1	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"		1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	1	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		1	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	1	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	1	PA; ST
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	1	PA; ST
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE (OTC) 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	PA; ST
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	1	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		1	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		1	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		1	PA; ST
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insulin Syr(half unit))	1	PA; ST
INSULIN SYRIN 0.5 ML 28GX1/2" (OTC) 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	1	PA; ST
INSULIN SYRING 0.5 ML 27G 1/2" OUTER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	1	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	1	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		1	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(BD SafetyGlide Syringe)	1	PA; ST
INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	1	PA; ST
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	1	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	PA; ST
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	1	PA; ST
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	1	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INSUPEN 32G 6MM PEN NEEDLE (pen needle, diabetic) 32 GAUGE X 1/4"	1	PA; ST
INSUPEN 32G 8MM PEN NEEDLE (pen needle, diabetic) 32 GAUGE X 5/16"	1	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	1	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	1	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	1	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	1	PA; ST
IV ANTISEPTIC WIPES (alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "	1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	1	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 u-100 , 1/2 ML 30 GAUGE	1	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE u-100 X 7/16"	1	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	1	PA; ST
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 u-100	1	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	1	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	1	PA; ST
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" u-100	1	PA; ST
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" u-100	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		1	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		1	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		1	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		1	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		1	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		1	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	1	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	1	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	1	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	1	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	1	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	1	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	1	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	1	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		1	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MONOJECT SYRINGE 1 ML 1 ML (insulin syringe-needle 31 GAUGE X 5/16 u-100)	1	PA; ST
NOVOFINE 30 NEEDLE	1	PA; ST
NOVOFINE 32G NEEDLES 32 (pen needle, diabetic) GAUGE X 1/4"	1	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	1	PA; ST
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	1	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GENS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	1	PA; ST
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	1	PA; ST
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	1	PA; ST
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	1	PA; ST
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	1	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	1	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100)	1	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16 u-100)	1	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100)	1	PA; ST
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		1	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	1	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		1	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		1	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	1	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	1	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	1	PA; ST
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	1	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		1	PA; ST
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		1	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		1	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		1	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	1	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		1	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"		1	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"		1	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"		1	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"		1	PA; ST
STERILE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		1	PA; ST
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		1	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		1	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		1	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		1	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		1	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		1	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		1	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	1	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		1	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		1	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		1	PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		1	PA; ST
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		1	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"		1	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		1	PA; ST
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"		1	PA; ST
TRUE COMFR PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUE COMFR SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"		1	PA; ST
TRUE COMFR SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"		1	PA; ST
TRUE COMFR SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		1	PA; ST
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	1	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		1	PA; ST
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		1	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"		1	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"		1	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"		1	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"		1	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"		1	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"		1	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"		1	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"		1	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"		1	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"		1	PA; ST
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTILET PEN NEEDLE 29 GAUGE		1	PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		1	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		1	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		1	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		1	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		1	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		1	PA; ST
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		1	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"		1	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		1	PA; ST
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		1	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	PA; ST
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	PA; ST
Enzyme Cofactors/Chaperones		
Enzyme Cofactors/Chaperones		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NM; NDS; QL (90 per 30 days)
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
<i>javygtor oral tablet,soluble 100 mg (sapropterin)</i>	5	PA; NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg (Orfadin)</i>	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg (Javygtor)</i>	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT, 60,000- 189,600- 252,600 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	
<i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i>	1	QL (60 per 30 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> (Astupro Allergy)	1	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	1	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	1	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	1	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	1	
Eye, Ear, Nose, Throat Anti- Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	1	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	1	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops (Vigamox) 0.5 %</i>	1	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	1
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	1
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	1
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	1
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g- 1%</i>	(neomycin-bacitracin-poly-hc)	1	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit- unit/g</i>	(neomycin-bacitracin-polymyxin)	1	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflox)	1	
<i>ofloxacin otic (ear) drops 0.3 %</i>		1	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b)	1	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>		1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>		1	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>		2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>		1	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>		1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>		2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>		2	
XDEMVY OPHTHALMIC (EYE) DROPS 0.25 %		5	PA; NM; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %		4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %		3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents			
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	(loteprednol etabonate)	3	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
bromfenac ophthalmic (eye) drops 0.07 %	(Prolensa)	2	
bromfenac ophthalmic (eye) drops 0.075 %	(BromSite)	2	
bromfenac ophthalmic (eye) drops 0.09 %		2	
cyclosporine ophthalmic (eye) dropperette 0.05 %	(Restasis)	2	QL (60 per 30 days)
dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %		1	
diclofenac sodium ophthalmic (eye) drops 0.1 %		1	
disfluprednate ophthalmic (eye) drops 0.05 %	(Durezol)	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %		3	QL (8.3 per 14 days)
flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)		2	QL (50 per 25 days)
fluocinolone acetonide oil otic (ear) drops 0.01 %	(DermOtic Oil)	2	
fluorometholone ophthalmic (eye) drops,suspension 0.1 %	(FML Liquifilm)	4	
flurbiprofen sodium ophthalmic (eye) drops 0.03 %		1	
fluticasone propionate nasal spray,suspension 50 mcg/actuation	(24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %		3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %		3	QL (5.6 per 14 days)
ketorolac ophthalmic (eye) drops 0.5 %	(Acular)	1	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %		3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %		3	QL (5 per 16 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	(Lotemax)	2	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i>	(Alrex)	2	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	(Lotemax)	2	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	(Allergy Nasal (mometasone))	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	(Pred Forte)	4	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %		3	QL (60 per 30 days)
Gastrointestinal Agents			
Antiulcer Agents And Acid Suppressants			
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>		2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>		1	
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i>	(Acid Reducer (esomeprazole))	1	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i>	(Nexium)	1	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	(Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i>	(Nexium Packet)	2	ST; QL (60 per 30 days)
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i>	(Acid Reducer (lansoprazole))	1	QL (30 per 30 days)
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i>	(Prevacid)	1	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>		1	
<i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg</i>	(Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet,delayed release (dr/ec) 40 mg</i>	(Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet,delayed release (dr/ec) 20 mg</i>	(AcipHex)	1	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	1	
Gastrointestinal Agents, Other			
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose)	1	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>		1	
<i>dicyclomine oral solution 10 mg/5 ml</i>		2	
<i>dicyclomine oral tablet 20 mg</i>		1	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	(Lomotil)	1	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i>	(lactulose)	1	
<i>generlac oral solution 10 gram/15 ml</i>	(lactulose)	1	
<i>glycopyrrolate oral tablet 1 mg</i>	(Robinul)	1	
<i>glycopyrrolate oral tablet 2 mg</i>	(Robinul Forte)	1	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml, 15-20 gram/60 ml</i>		2	
<i>lactulose oral solution 10 gram/15 ml</i>	(Constulose)	1	
<i>LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG</i>		3	QL (30 per 30 days)
<i>LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM</i>		3	
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	1	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	(Amitiza)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)</i>	1	
<i>MOVANTIK ORAL TABLET 12.5 MG, 25 MG</i>	3	QL (30 per 30 days)
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 200 mg, 400 mg (Reltone)</i>	5	NM; NDS
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i>	2	
<i>ursodiol oral tablet 500 mg (URSO Forte)</i>	2	
<i>VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM</i>	3	
<i>XERMELO ORAL TABLET 250 MG</i>	5	PA; NM; NDS; QL (84 per 28 days)
Laxatives		
<i>CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML</i>	3	
<i>gavilyte-c oral recon soln 240-22.72- 6.72 -5.84 gram (peg 3350-electrolytes)</i>	1	
<i>gavilyte-g oral recon soln 236-22.74- 6.74 -5.86 gram (peg 3350-electrolytes)</i>	1	
<i>gavilyte-n oral recon soln 420 gram (peg-electrolyte soln)</i>	1	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram (GaviLyte-G)</i>	1	
<i>peg-electrolyte soln oral recon soln 420 gram (GaviLyte-N)</i>	1	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram (Suprep Bowel Prep Kit)</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)	2	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
Phosphate Binders		
calcium acetate(phosphat bind) oral capsule 667 mg	1	
calcium acetate(phosphat bind) oral tablet 667 mg	1	
sevelamer carbonate oral powder in (Renvela) packet 0.8 gram, 2.4 gram	2	
sevelamer carbonate oral tablet 800 (Renvela) mg	2	
sevelamer hcl oral tablet 400 mg, 800 mg	2	
Genitourinary Agents		
Antispasmodics, Urinary		
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg	1	
fesoterodine oral tablet extended (Toviaz) release 24 hr 4 mg, 8 mg	2	
flavoxate oral tablet 100 mg	2	
MYRBETRIQ ORAL TABLET (mirabegron) EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	
oxybutynin chloride oral syrup 5 mg/5 ml	1	
oxybutynin chloride oral tablet 5 mg	1	
oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg	1	
solifenacin oral tablet 10 mg, 5 mg (Vesicare)	1	
tolterodine oral capsule,extended release 24hr 2 mg, 4 mg	2	
tolterodine oral tablet 1 mg, 2 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>trospium oral capsule, extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	1	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release (Uroxatral) 24 hr 10 mg</i>	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg (Avodart)</i>	1	
<i>finasteride oral tablet 5 mg (Proscar)</i>	1	
<i>tamsulosin oral capsule 0.4 mg (Flomax)</i>	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferasirox oral granules in packet (Jadenu Sprinkle) 180 mg, 360 mg, 90 mg</i>	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg (Jadenu)</i>	2	PA
<i>penicillamine oral tablet 250 mg (Depen Titratabs)</i>	5	PA; NM; NDS
<i>trientine oral capsule 250 mg (Syprine)</i>	5	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	2	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml (Depo-Testosterone)</i>	1	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; QL (5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	(Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	(AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	(AndroGel)	2	PA; QL (300 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens			
DUAVEE ORAL TABLET 0.45-20 MG		3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	1	
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	2	QL (18 per 28 days)
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>		2	PA-HRM; AGE (Max 64 Years)
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i>	(Mimvey)	2	PA-HRM; AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG		3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG	(conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	1	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml</i>	1	HI
<i>dexamethasone sodium phosphate injection solution 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml</i>	1	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i>	1	
<i>methylprednisolone oral tablet 32 mg</i>	1	
<i>methylprednisolone oral tablets,dose pack 4 mg</i>	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS
NORDITROPIN FLEXPRESS SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	2	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Progestins		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	1	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	1	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 50 mcg</i> (Cytomel)	1	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	1	
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NM; NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG	(tacrolimus) 4	PA BvD
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 5 MG	(tacrolimus) 5	PA BvD; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-Injector 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
cyclosporine modified oral capsule 100 mg, 25 mg (Gengraf)	2	PA BvD
cyclosporine modified oral capsule 50 mg	2	PA BvD
cyclosporine modified oral solution 100 mg/ml (Gengraf)	2	PA BvD
cyclosporine oral capsule 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg (Zortress)	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NM; NDS
gengraf oral capsule 100 mg, 25 mg (cyclosporine modified)	2	PA BvD
gengraf oral solution 100 mg/ml (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	(CellCept Intravenous)	2 PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i>	(CellCept)	2 PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	(CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	(CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg, 360 mg</i>	(Myfortic)	2	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML		5	PA NSO; NM; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG		5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG		5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML		5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML		5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG		5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)		5	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML		4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG		4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML		4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg (Prograf)</i>	2	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
Vaccines		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	\$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	6	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	6	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	6	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD; \$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	6	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	6	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML	6	
PREHEVBRI (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	6	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD; \$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	\$0 copay
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	\$0 copay	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	(typhoid vi polysacch vaccine)	6	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	6		
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	\$0 copay	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	6		
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	\$0 copay	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	\$0 copay	
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	6	\$0 copay	
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	\$0 copay	

Inflammatory Bowel Disease Agents

Inflammatory Bowel Disease Agents

<i>alosetron oral tablet 0.5 mg, 1 mg</i>	(Lotronex)	2	
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	2	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>		2	
<i>budesonide rectal foam 2 mg/actuation</i>	(Uceris)	2	
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	2	
<i>mesalamine oral capsule, extended release 500 mg</i>	(Pentasa)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i>	(Apriso)	2	
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i>	(Lialda)	2	QL (120 per 30 days)
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	1	
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i>	(Azulfidine EN-tabs)	4	

Metabolic Bone Disease Agents

Metabolic Bone Disease Agents

<i>alendronate oral solution 70 mg/75 ml</i>		2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>		1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>		1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i>	(Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>		1	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>		1	
<i>cinacalcet oral tablet 30 mg, 60 mg</i>	(Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	(Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>ibandronate oral tablet 150 mg</i>		1	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE		5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i>	(Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>		2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML		4	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG		3	QL (60 per 30 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>		5	PA; NM; NDS; QL (2.48 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NM; NDS; QL (180 per 30 days)
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	1	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	1	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	2	
<i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt)	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	1	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	1	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	1	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) (Zioptan (PF)) dropperette 0.0015 %</i>	2	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol ophthalmic (eye) drops 0.5 % (Betimol)</i>	1	
<i>travoprost ophthalmic (eye) drops (Travatan Z) 0.004 %</i>	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	HI
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	HI
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	(potassium chloride)	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	(potassium chloride)	1	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>		4	HI
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>		1	HI
<i>potassium chloride intravenous solution 2 meq/ml</i>		1	PA BvD; HI
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>		1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>		2	
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	1	
<i>potassium chloride oral tablet extended release 15 meq</i>		2	
<i>potassium chloride oral tablet extended release 20 meq</i>	(K-Tab)	1	
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	1	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	(Klor-Con M10)	1	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	(Klor-Con M15)	1	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	(Klor-Con M20)	1	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	(Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i>	(Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>		2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>		1	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
sodium chloride 0.9 % intravenous parenteral solution	1	HI	
sodium chloride 0.9% solution mini-bag, single use	1	HI	
sodium chloride 0.9% solution viaflex, single use	1		
Respiratory Tract Agents			
Anti-Inflammatories, Inhaled Corticosteroids			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		3	QL (60 per 30 days)
breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	(budesonide-formoterol)	1	QL (30.9 per 30 days)
budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml	(Pulmicort)	2	PA BvD; QL (120 per 30 days)
budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	(Breyna)	1	QL (30.6 per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation		1	QL (12 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>		1	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>		1	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	1	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(fluticasone propion-salmeterol)	1	QL (60 per 30 days)
Antileukotrienes			
<i>montelukast oral tablet 10 mg</i>	(Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	(Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate)	2	
Bronchodilators			
<i>AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION</i>		3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	(Ventolin HFA)	1	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>		1	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>		1	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>		1	PA BvD
<i>ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION</i>		3	QL (60 per 30 days)
<i>ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION</i>		4	QL (25.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)	
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD	
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD; QL (540 per 30 days)	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)	
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)	
<i>theophylline oral solution 80 mg/15 ml</i>	2		
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2		
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1		
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i>	(Spiriva with HandiHaler)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10- 50-125 MG	5	PA; NM; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20- 50 MG	5	PA; NM; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	
<i>baclofen oral tablet 15 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	1	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	1	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	1	PA; QL (60 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (360 per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	2	PA
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>bal-care dha combo pack 27-1-430 mg</i>	1	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	1	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	1	
<i>completenate tablet chew 29 mg iron-1 mg</i>	1	
<i>folivane-ob capsule 85-1 mg</i>	1	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	1	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	1	
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	1	
<i>mynatal advance oral tablet 90-1-50 mg</i>	1	
<i>mynatal capsule 65 mg iron- 1 mg</i>	1	
<i>mynatal oral tablet 90-1-50 mg</i>	1	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	1	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	1	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	1	
<i>newgen tablet 32-1,000 mg-mcg</i>	1	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	1	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	1	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>o-cal prenatal oral tablet 15 mg iron-1,000 mcg</i>	1	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	1	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	1 (pnv,calcium 72-iron-folic acid)	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	1	
<i>pnv-omega softgel 28-1-300 mg</i>	1	
<i>pr natal 400 combo pack 29-1-400 mg</i>	1	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	1	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	1	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	1	
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	1	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	1	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	1	
<i>prenatabs fa tablet 29-1 mg</i>	1	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	1	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	1	
<i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>	1	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	1 (pnv,calcium 72-iron,carb-folic)	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	1 (pnv,calcium 72-iron-folic acid)	
<i>prenatal-u capsule 106.5-1 mg</i>	1	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	1 (pnv,calcium 72-iron-folic acid)	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	1	
<i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i>	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	1	
<i>taron-c dha capsule 35-1-200 mg</i>	1	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	
<i>triveen-duo dha oral combo pack 29-1-400 mg</i>	1	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	1	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	1	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	1	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	1	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	1	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	1	
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	1	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	1	
<i>zatean-pn plus softgel 28-1-300 mg</i>	1	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

INDEX

1ST TIER UNIFINE PENTIPS	100	AIRSUPRA	176, 177	<i>amlodipine-valsartan</i>	79
1ST TIER UNIFINE PENTIPS PLUS	100, 101	AJOVY AUTOINJECTOR	51	<i>amlodipine-valsartan-hcthiazid</i>	79
<i>abacavir</i>	63	AJOVY SYRINGE	51	<i>ammonium lactate</i>	96
<i>abacavir-lamivudine</i>	63	AKEEGA	17	<i>amoxapine</i>	40
ABELCET	48	<i>ala-cort</i>	98	<i>amoxicil-clarithromy-lansopraz</i>	
ABILIFY ASIMTUFII	56	<i>albendazole</i>	54		150
ABILIFY MAINTENA	56	<i>albuterol sulfate</i>	177	<i>amoxicillin</i>	13
<i>abiraterone</i>	16	ALCOHOL PADS	102	<i>amoxicillin-pot clavulanate</i>	13, 14
ABOUTTIME PEN NEEDLE	101	ALCOHOL PREP PADS	121	<i>amphotericin b</i>	48
ABRYYSVO (PF)	165	ALCOHOL PREP SWABS	102	<i>amphotericin b liposome</i>	48
<i>acamprosate</i>	7	ALCOHOL SWABS	102	<i>ampicillin</i>	14
<i>acarbose</i>	43	ALCOHOL WIPES	102	<i>ampicillin sodium</i>	14
<i>acebutolol</i>	76	ALECENSA	17	<i>ampicillin-sulbactam</i>	14
<i>acetaminophen-codeine</i>	3	<i>alendronate</i>	171	<i>anagrelide</i>	72
<i>acetazolamide</i>	173	<i>alfuzosin</i>	154	<i>anastrozole</i>	17
<i>acetazolamide sodium</i>	173	<i>aliskiren</i>	82	ANKTIVA	17
<i>acetic acid</i>	146	<i>allopurinol</i>	50	ANORO ELLIPTA	177
<i>acetylcysteine</i>	179	<i>alosetron</i>	170	<i>aprepitant</i>	53
<i>acitretin</i>	96	<i>alprazolam</i>	8	APRETUDE	63
ACTEMRA	159, 160	ALREX	148	<i>apri</i>	87
ACTEMRA ACTPEN	159	ALTRENO	100	APTIOM	34
ACTHAR	157	ALUNBRIG	17	APTIVUS	63
ACTHAR SELFJECT	157	ALVAIZ	71	AQINJECT PEN NEEDLE	102
ACTHIB (PF)	165	<i>alyacen 1/35 (28)</i>	87	ARCALYST	160
ACTIMMUNE	172	<i>alyacen 7/7/7 (28)</i>	87	AREXVY (PF)	165
<i>acyclovir</i>	69, 96	ALYFTREK	179	AREXVY ANTIGEN	
<i>acyclovir sodium</i>	69	<i>alyq</i>	181	COMPONENT	165
ADACEL(TDAP		<i>amantadine hcl</i>	55	ARIKAYCE	9
ADOLESN/ADULT)(PF)	165	<i>amethyst (28)</i>	87	<i>aripiprazole</i>	56, 57
<i>adapalene</i>	100	<i>amikacin</i>	9	ARISTADA	57
<i>adefovir</i>	69	<i>amiloride</i>	80	ARISTADA INITIO	57
ADEMPAS	181	<i>amiloride-hydrochlorothiazide</i>	80	<i>armodafinil</i>	181
<i>adrucil</i>	16	<i>amiodarone</i>	76	ARNUITY ELLIPTA	176
ADVAIR HFA	176	<i>amitriptyline</i>	40	<i>asenapine maleate</i>	57
ADVOCATE PEN NEEDLE		<i>amlodipine</i>	79	<i>aspirin-dipyridamole</i>	72
	101, 102	<i>amlodipine-atorvastatin</i>	80, 81	ASSURE ID DUO PRO SFTY	
ADVOCATE SYRINGES	101	<i>amlodipine-benazepril</i>	79	PEN NDL	102
<i>afirmelle</i>	87	<i>amlodipine-olmesartan</i>	79	ASSURE ID DUO-SHIELD	102

ASSURE ID INSULIN	
SAFETY	102, 103
ASSURE ID PEN NEEDLE.....	102
ASSURE ID PRO PEN	
NEEDLE.....	102
ASTAGRAF XL.....	160
atazanavir.....	63
atenolol.....	76
atenolol-chlorthalidone.....	76
atomoxetine.....	83
atorvastatin.....	81
atovaquone.....	54
atovaquone-proguanil.....	54
atropine.....	146
ATROVENT HFA.....	177
aubra eq.....	87
AUGTYRO.....	17
aurovela 1.5/30 (21).....	87
aurovela 1/20 (21).....	88
aurovela 24 fe.....	88
aurovela fe 1.5/30 (28).....	88
aurovela fe 1-20 (28).....	88
AUSTEDO.....	83
AUSTEDO XR.....	83, 84
AUSTEDO XR TITRATION	
KT(WK1-4).....	84
AUTOSHIELD DUO PEN	
NEEDLE.....	103
AUVELITY.....	40
aviane.....	88
AVONEX.....	84
AXTLE.....	17
ayuna.....	88
AYVAKIT.....	17
azacitidine.....	17
azathioprine.....	160
azathioprine sodium.....	160
azelastine.....	146
azithromycin.....	12
aztreonam.....	13
azurette (28).....	88
bacitracin.....	146
baclofen.....	180
bal-care dha.....	182
bal-care dha essential.....	182
balsalazide.....	170
BALVERSA.....	17
BCG VACCINE, LIVE (PF)....	165
BD ALCOHOL SWABS.....	104
BD AUTOSHIELD DUO PEN	
NEEDLE.....	103
BD ECLIPSE LUER-LOK.....	103
BD INSULIN SYRINGE.....	103
BD INSULIN SYRINGE	
(HALF UNIT).....	103
BD INSULIN SYRINGE SLIP	
TIP.....	104
BD INSULIN SYRINGE U-	
500.....	103
BD INSULIN SYRINGE	
ULTRA-FINE.....	103, 104
BD NANO 2ND GEN PEN	
NEEDLE.....	104
BD SAFETYGLIDE INSULIN	
SYRINGE.....	104
BD SAFETYGLIDE SYRINGE	
.....	104
BD ULTRA-FINE MICRO	
PEN NEEDLE.....	105
BD ULTRA-FINE MINI PEN	
NEEDLE.....	105
BD ULTRA-FINE NANO PEN	
NEEDLE.....	105
BD ULTRA-FINE ORIG PEN	
NEEDLE.....	105
BD ULTRA-FINE SHORT	
PEN NEEDLE.....	105
BD VEO INSULIN SYR	
(HALF UNIT).....	105
BD VEO INSULIN SYRINGE	
UF.....	105
BELSOMRA.....	181
benazepril.....	75
benazepril-hydrochlorothiazide..	75
bendamustine.....	17
BENDAMUSTINE.....	17
BENDEKA.....	17
BENLYSTA.....	160
benztropine.....	55
BESREMI.....	160
betaine.....	172
betamethasone dipropionate.....	98
betamethasone valerate.....	98
betamethasone, augmented.....	98
BETASERON.....	84
betaxolol.....	173
bethanechol chloride.....	153
bexarotene.....	18
BEXSERO.....	166
bicalutamide.....	18
BICILLIN L-A.....	14
BIKTARVY.....	63
bimatoprost.....	173
bisoprolol fumarate.....	76
bisoprolol-hydrochlorothiazide..	76
BIZENGRI.....	18
bleomycin.....	18
blisovi 24 fe.....	88
blisovi fe 1.5/30 (28).....	88
blisovi fe 1/20 (28).....	88
BOOSTRIX TDAP.....	166
BORDERED GAUZE.....	105
bortezomib.....	18
BORUZU.....	18
bosentan.....	181
BOSULIF.....	18
BRAFTOVI.....	18
BREO ELLIPTA.....	176
breyna.....	176
BREZTRI AEROSPHERE.....	178
BRILINTA.....	72
brimonidine.....	173
brimonidine-timolol.....	173
brinzolamide.....	173
BRIVIACT	34

bromfenac	149	cartia xt	77	CLICKFINE PEN NEEDLE	106
bromocriptine.....	55	carvedilol	77	clindamycin hcl	10
BRONCHITOL.....	179	CAYSTON	13	clindamycin phosphate ...	10, 51, 97
BRUKINSA.....	18	cefaclor	11	clindamycin-benzoyl peroxide....	97
budesonide	170, 176	cefadroxil	11	CLINIMIX 6%-D5W	
budesonide-formoterol	176	cefazolin	11	(SULFITE-FREE).....	72
bumetanide	80	cefdinir	11	CLINIMIX 8%-	
buprenorphine	3	cefepime	11	D10W(SULFITE-FREE).....	72
buprenorphine hcl	7	cefixime	11	CLINIMIX 8%-	
buprenorphine-naloxone	7	cefoxitin	11	D14W(SULFITE-FREE).....	73
bupropion hcl	40	cefpodoxime	11	CLINIMIX E 8%-D10W	
bupropion hcl (smoking deter)	7	cefprozil	11	SULFITEFREE.....	73
buspirone	172	ceftazidime	11	CLINIMIX E 8%-D14W	
butalbital-acetaminop-caf-cod	3	ceftriaxone	11	SULFITEFREE.....	73
butalbital-acetaminophen-caff	3	cefuroxime axetil	11	clobazam	35
CABENUVA.....	63	cefuroxime sodium	12	clobetasol	98
cabergoline	55	celecoxib	5	clobetasol-emollient	98
CABOMETYX.....	18	cephalexin	12	clomipramine	40
cabotegravir.....	63, 64	cevimeline	96	clonazepam	8
calcipotriene	96	chateal eq (28)	88	clonidine	73
calcitonin (salmon)	171	chlordiazepoxide hcl	8	clonidine hcl	73
calcitriol	171	chlorhexidine gluconate	96	clopidogrel	72
calcium acetate(phosphat bind)	153	chloroquine phosphate	54	clorazepate dipotassium	8
CALQUENCE.....	18	chlorpromazine	57	clotrimazole	48, 49
CALQUENCE (ACALABRUTINIB MAL).....	18	chlorthalidone	80	clotrimazole-betamethasone	49
camila	88	cholestyramine (with sugar)	81	clozapine	57, 58
candesartan	73	cholestyramine light	81	c-nate dha	182
candesartan-hydrochlorothiazid	74	ciclopirox	48	COARTEM	54
CAPLYTA	57	cilostazol	72	COBENFY	58
CAPRELSA.....	18, 19	CIMDUO	64	COBENFY STARTER PACK	58
captopril	75	cimetidine hcl	150	colchicine	50
carbamazepine	34, 35	CIMZIA	160	colesevelam	81
carbidopa-levodopa	55	CIMZIA POWDER FOR		colestipol	81
CAREFINE PEN NEEDLE	105	RECONST	160	colistin (colistimethate na)	10
CARETOUCH ALCOHOL PREP PAD	105	cinacalcet	171	COMBIVENT RESPIMAT	178
CARETOUCH INSULIN SYRINGE	106	CINQAIR	179	COMETRIQ	19
CARETOUCH PEN NEEDLE	106	ciprofloxacin hcl	15, 147	COMFORT EZ INSULIN SYRINGE	107, 108
carglumic acid	151	ciprofloxacin in 5 % dextrose	15	COMFORT EZ PEN NEEDLES	107, 108
carteolol	173	ciprofloxacin-dexamethasone ...	147	COMFORT EZ PRO SAFETY PEN NDL	108
		citalopram	40		
		clarithromycin	12		
		CLENPIQ	152		

COMFORT TOUCH PEN	
NEEDLE	109
COMPLERA	64
<i>completenate</i>	182
<i>compro</i>	53
<i>constulose</i>	151
COPIKTRA	19
CORLANOR	78
COSENTYX	160, 172
COSENTYX (2 SYRINGES)	160
COSENTYX PEN (2 PENS)	160
COSENTYX UNOREADY PEN	160
COTELLIC	19
CREON	145
<i>cromolyn</i>	146, 151, 179
<i>cryselle</i> (28)	88
CURAD GAUZE PAD	109
CURITY ALCOHOL SWABS	109
CURITY GAUZE	109
<i>cyclafem</i> 1/35 (28)	88
<i>cyclafem</i> 7/7/7 (28)	88
<i>cyclobenzaprine</i>	180
<i>cyclophosphamide</i>	19
<i>cyclosporine</i>	149, 160, 161
<i>cyclosporine modified</i>	161
<i>cyred eq</i>	88
<i>d5 % and 0.9 % sodium chloride</i>	
<i>d5 %-0.45 % sodium chloride</i>	174
<i>dabigatran etexilate</i>	70
<i>dalfampridine</i>	84
<i>danazol</i>	154
<i>dantrolene</i>	180
DANYELZA	19
DANZITEN	19
<i>dapsone</i>	52
DAPTACEL (DTAP PEDIATRIC) (PF)	166
<i>daptomycin</i>	10
<i>darunavir</i>	64
<i>dasatinib</i>	19
<i>dasetta</i> 1/35 (28)	88
<i>dasetta</i> 7/7/7 (28)	88
DATROWAY	19
DAURISMO	19
<i>deblitane</i>	89
<i>decitabine</i>	19
<i>deferasirox</i>	154
DELSTRIGO	64
<i>demeclacycline</i>	15
DENGVAXIA (PF)	166
<i>denta 5000 plus</i>	96
<i>dentagel</i>	96
DEPO-SUBQ PROVERA 104.	159
DERMACEA	109
DERMACEA NON-WOVEN	110
<i>dermacinrx lidocan</i>	6
DESCOVY	64
<i>desipramine</i>	40
<i>desmopressin</i>	157
<i>desog-e.estradiol/e.estradiol</i>	89
<i>desogestrel-ethinyl estradiol</i>	89
<i>desvenlafaxine succinate</i>	40
<i>dexamethasone</i>	156
<i>dexamethasone sodium phosphate</i>	149, 156
<i>dextroamphetamine-amphetamine</i>	
<i>dextroamphetamine</i>	84
<i>dextrose 5 % in water (d5w)</i>	73
DIACOMIT	35
<i>diazepam</i>	8, 35
<i>diazepam intensol</i>	8
<i>diazoxide</i>	172
<i>diclofenac potassium</i>	5
<i>diclofenac sodium</i>	5, 149
<i>diclofenac-misoprostol</i>	6
<i>dicloxacillin</i>	14
<i>dicyclomine</i>	151
<i>didanosine</i>	64
DIFICID	12
<i>disfluprednate</i>	149
<i>digoxin</i>	78
<i>dihydroergotamine</i>	51
<i>diltiazem hcl</i>	77, 78
<i>dilt-xr</i>	78
<i>dimethyl fumarate</i>	84, 85
<i>diphenoxylate-atropine</i>	151
<i>dipyridamole</i>	72
<i>disulfiram</i>	7
DIVALPROEX	35
<i>dofetilide</i>	76
<i>dolishale</i>	89
<i>donepezil</i>	39
<i>dorzolamide</i>	174
<i>dorzolamide-timolol</i>	174
DOVATO	64
<i>doxazosin</i>	73
<i>doxepin</i>	41
<i>doxorubicin, peg-liposomal</i>	20
<i>doxy-100</i>	15
<i>doxycycline hyclate</i>	15, 16
<i>doxycycline monohydrate</i>	16
DRIZALMA SPRINKLE	41
<i>dronabinol</i>	53
DROPLET INSULIN SYR(HALF UNIT)	110
DROPLET INSULIN SYRINGE	110, 111
DROPLET MICRON PEN NEEDLE	
<i>needle</i>	111
DROPLET PEN NEEDLE	111, 112
DROPSAFE ALCOHOL PREP PADS	112
DROPSAFE INSULIN SYRINGE	112
DROPSAFE PEN NEEDLE	112
<i>droxidopa</i>	73
DUAVEE	155
<i>duloxetine</i>	41
DUPIXENT PEN	161
DUPIXENT SYRINGE	161
<i>dutasteride</i>	154
EASY COMFORT ALCOHOL PAD	113

EASY COMFORT INSULIN SYRINGE	112, 113, 114	ELREXFIO	20
EASY COMFORT PEN NEEDLES	113, 114	<i>eluryng</i>	89
EASY COMFORT SAFETY PEN NEEDLE	112	EMBRACE PEN NEEDLE	116, 117
EASY GLIDE INSULIN SYRINGE	114	EMCYT	20
EASY GLIDE PEN NEEDLE	114	EMGALITY PEN	51
EASY TOUCH	115, 116	EMGALITY SYRINGE	51
EASY TOUCH ALCOHOL PREP PADS	114	<i>emoquette</i>	89
EASY TOUCH FLIPLOCK INSULIN	115	EMSAM	41
EASY TOUCH FLIPLOCK SYRINGE	115	<i>emtricitabine</i>	64
EASY TOUCH INSULIN SAFETY SYR	114	<i>emtricitabine-tenofovir (tdf)</i>	64
EASY TOUCH INSULIN SYRINGE	114, 115, 116	EMTRIVA	64
EASY TOUCH LUER LOCK INSULIN	115	<i>emzahh</i>	89
EASY TOUCH PEN NEEDLE	115	<i>enalapril maleate</i>	75
EASY TOUCH SAFETY PEN NEEDLE	116	<i>enalapril-hydrochlorothiazide</i>	75
EASY TOUCH SHEATHLOCK INSULIN	115	ENBREL	161
EASY TOUCH UNI-SLIP	116	ENBREL MINI	161
<i>econazole nitrate</i>	49	ENBREL SURECLICK	161
EDURANT	64	<i>endocet</i>	3
<i>efavirenz</i>	64	ENGERIX-B (PF)	166
<i>efavirenz-emtricitabin-tenofov</i>	64	ENGERIX-B PEDIATRIC (PF)	166
<i>efavirenz-lamivu-tenofov disop</i>	64	<i>enilloring</i>	89
ELAHERE	20	<i>enoxaparin</i>	70
ELIGARD	20	<i>enpresso</i>	89
ELIGARD (3 MONTH)	20	<i>enskyce</i>	89
ELIGARD (4 MONTH)	20	<i>entacapone</i>	55
ELIGARD (6 MONTH)	20	<i>entecavir</i>	69
<i>elinest</i>	89	ENTRESTO	74
ELIQUIS	70	ENTRESTO SPRINKLE	74
ELIQUIS DVT-PE TREAT 30D START	70	<i>enulose</i>	151
		EPCLUSA	68
		EPIDIOLEX	35
		<i>epinastine</i>	146
		<i>epinephrine</i>	78, 79
		<i>epitol</i>	35
		EPIVIR HBV	64
		EPKINLY	20
		<i>eplerenone</i>	82
		EPRONTIA	35
		ERBITUX	20
		<i>ergoloid</i>	39
		ERIVEDGE	20
		ERLEADA	20
		<i>erlotinib</i>	20
		<i>errin</i>	89
		<i>ertapenem</i>	13
		<i>erythromycin</i>	13, 147
		<i>erythromycin ethylsuccinate</i>	12
		<i>erythromycin with ethanol</i>	97
		ERZOFRI	58
		<i>escitalopram oxalate</i>	41
		<i>esomeprazole magnesium</i>	150
		<i>estarrylla</i>	89
		<i>estradiol</i>	155
		<i>estradiol-norethindrone acet</i>	155
		<i>eszopiclone</i>	181
		<i>ethambutol</i>	52
		<i>ethosuximide</i>	35
		<i>ethynodiol diac-eth estradiol</i>	89
		<i>etodolac</i>	6
		<i>etonogestrel-ethinyl estradiol</i>	89
		ETOPOPHOS	21
		<i>etoposide</i>	21
		<i>etravirine</i>	64
		EUCRISA	98
		<i>everolimus (antineoplastic)</i>	21
		<i>everolimus (immunosuppressive)</i>	161
		EVOTAZ	65
		<i>exemestane</i>	21
		EXTENCILINE	14
		EYSUVIS	149
		<i>ezetimibe</i>	81
		<i>ezetimibe-simvastatin</i>	81
		<i>falmina (28)</i>	89
		<i>famciclovir</i>	69
		<i>famotidine</i>	150
		FANAPT	58
		FARXIGA	43
		FASENRA	179
		FASENRA PEN	179
		<i>febuxostat</i>	50
		<i>feirza</i>	89

<i>felbamate</i>	35	<i>fluticasone propionate</i>	48
<i>felodipine</i>	79	<i>fluticasone propion-salmeterol</i>	48
<i>femynor</i>	90	<i>fluvastatin</i>	48
<i>fenofibrate</i>	81	<i>fluvoxamine</i>	48
<i>fenofibrate micronized</i>	81	<i>folivane-ob</i>	48
<i>fenofibrate nanocrystallized</i>	81	<i>fondaparinux</i>	48
<i>fentanyl</i>	4	<i>fosamprenavir</i>	48
<i>fentanyl citrate</i>	3	<i>fosinopril</i>	48
<i>fesoterodine</i>	153	<i>fosinopril-hydrochlorothiazide</i>	48
FETZIMA	41	<i>fosphenytoin</i>	48
FIASP FLEXTOUCH U-100		<i>FOTIVDA</i>	48
INSULIN	45	<i>FREESTYLE PRECISION</i>	48
FIASP PENFILL U-100		<i>FRUZAQLA</i>	48
INSULIN	45	<i>fulvestrant</i>	48
FIASP U-100 INSULIN	45	<i>furosemide</i>	48
<i>finasteride</i>	154	<i>FUZEON</i>	48
<i> fingolimod</i>	85	<i>FYARRO</i>	48
FINTEPLA	35	<i>FYCOMPA</i>	48
FIRMAGON KIT W		<i> gabapentin</i>	48
DILUENT SYRINGE	21	<i> galantamine</i>	48
<i>flavoxate</i>	153	<i> gallifrey</i>	48
<i>flecainide</i>	76	<i> GAMUNEX-C</i>	48
<i> floxuridine</i>	21	<i> GARDASIL 9 (PF)</i>	48
<i> fluconazole</i>	49	<i> GAUZE PAD</i>	48
<i> fluconazole in nacl (iso-osm)</i>	49	<i> gavilyte-c</i>	48
<i> flucytosine</i>	49	<i> gavilyte-g</i>	48
<i> fludrocortisone</i>	156	<i> gavilyte-n</i>	48
<i> flunisolide</i>	149	<i> GAVRETO</i>	48
<i> fluocinolone</i>	99	<i> gefitinib</i>	48
<i> fluocinolone acetonide oil</i>	149	<i> gemfibrozil</i>	48
<i> fluocinonide</i>	99	<i> generlac</i>	48
<i> fluoride (sodium)</i>	96	<i> gengraf</i>	48
<i> fluorometholone</i>	149	<i> gentak</i>	48
<i> fluorouracil</i>	21, 96	<i> gentamicin</i>	48
<i> fluoxetine</i>	41	<i> gentamicin sulfate (ped) (pf)</i>	48
<i> fluphenazine decanoate</i>	58	<i> gentamicin sulfate (pf)</i>	48
<i> fluphenazine hcl</i>	58	<i> GENVOYA</i>	48
<i> flurbiprofen</i>	6	<i> GILOTRIF</i>	48
<i> flurbiprofen sodium</i>	149	<i> glatiramer</i>	48
<i> flutamide</i>	21	<i> glatopa</i>	48
		<i> GLEOSTINE</i>	48
		<i> glimepiride</i>	48
		<i> glipizide</i>	48
		<i> glipizide-metformin</i>	48
		<i> glutamine (sickle cell)</i>	48
		<i> glyburide</i>	48
		<i> glyburide micronized</i>	48
		<i> glyburide-metformin</i>	48
		<i> glycyrrolate</i>	48
		<i> glydo</i>	48
		<i> GLYXAMBI</i>	48
		<i> GOMEKLI</i>	48
		<i> griseofulvin microsize</i>	48
		<i> griseofulvin ultramicrosize</i>	48
		<i> guanfacine</i>	48
		<i> GVOKE</i>	48
		<i> GVOKE HYPOPEN 2-PACK</i>	48
		<i> GVOKE PFS 1-PACK</i>	48
		<i> SYRINGE</i>	48
		<i> GVOKE PFS 2-PACK</i>	48
		<i> SYRINGE</i>	48
		<i> HAEGARDA</i>	48
		<i> hailey 24 fe</i>	48
		<i> hailey fe 1.5/30 (28)</i>	48
		<i> hailey fe 1/20 (28)</i>	48
		<i> halobetasol propionate</i>	48
		<i> haloette</i>	48
		<i> haloperidol</i>	48
		<i> haloperidol decanoate</i>	48
		<i> haloperidol lactate</i>	48
		<i> HARVONI</i>	48
		<i> HAVRIX (PF)</i>	48
		<i> HEALTHWISE INSULIN</i>	48
		<i> SYRINGE</i>	48
		<i> HEALTHWISE PEN NEEDLE</i>	48
		<i> HEALTHY ACCENTS</i>	48
		<i> UNIFINE PENTIP</i>	48
		<i> heather</i>	48
		<i> heparin (porcine)</i>	48
		<i> HEPLISAV-B (PF)</i>	48
		<i> HERCEPTIN HYLECTA</i>	48
		<i> HERZUMA</i>	48
		<i> HIBERIX (PF)</i>	48

HUMIRA	162	<i>imatinib</i>	22	INSULIN SYRINGE-NEEDLE U-100	
HUMIRA PEN	162	IMBRUVICA	23	.. 102, 117, 119, 120, 128, 133, 137	
HUMIRA PEN CROHNS-UC-HS START	161	IMDELLTRA	23	INSUPEN PEN NEEDLE 120, 121	
HUMIRA PEN PSOR-UVEITS-ADOL HS	162	<i>imipenem-cilastatin</i>	13	INTELENCE	65
HUMIRA(CF)	162	<i>imipramine hcl</i>	41	INTRON A	69
HUMIRA(CF) PEDI CROHNS STARTER	162	<i>imiquimod</i>	97	INVEGA HAFYERA	59
HUMIRA(CF) PEN	162	IMJUDO	23	INVEGA SUSTENNA	59
HUMIRA(CF) PEN CROHNS-UC-HS	162	IMKELDI	23	INVEGA TRINZA	59, 60
HUMIRA(CF) PEN PEDIATRIC UC	162	IMOVAX RABIES VACCINE (PF)	167	INVELTYS	149
HUMIRA(CF) PEN PSOR-UV-ADOL HS	162	IMPAVIDO	54	IPOPOL	167
HUMULIN R U-500 (CONC) INSULIN	46	<i>incassia</i>	90	<i>ipratropium bromide</i>	146, 178
HUMULIN R U-500 (CONC) KWIKPEN	46	INCONTROL ALCOHOL PADS	119	<i>ipratropium-albuterol</i>	178
hydralazine	79	INCONTROL PEN NEEDLE	119	<i>irbesartan</i>	74
hydrochlorothiazide	80	INCRELEX	157	<i>irbesartan-hydrochlorothiazide</i>	74
hydrocodone-acetaminophen	4	<i>indapamide</i>	80	ISENTRESS	65
hydrocortisone	99, 156, 170	<i>indomethacin</i>	6	ISENTRESS HD	65
hydrocortisone valerate	99	INFANRIX (DTAP) (PF)	167	<i>isibloom</i>	90
hydrocortisone-acetic acid	147	<i>infliximab</i>	162	<i>isoniazid</i>	52
hydromorphone	4	INGREZZA	85	ISOPROPYL ALCOHOL	97
hydroxychloroquine	54	INGREZZA INITIATION PK(TARDIV)	85	<i>isosorbide dinitrate</i>	83
hydroxyurea	22	INGREZZA SPRINKLE	85	<i>isosorbide mononitrate</i>	83
hydroxyzine hcl	51	INLYTA	23	ITOVEBI	23
hydroxyzine pamoate	172	INPEN (FOR HUMALOG) BLUE	119	<i>itraconazole</i>	49
ibandronate	171	INPEN (NOVOLOG OR FIASP) BLUE	119	IV PREP WIPES	121
IBRANCE	22	INQOVI	23	<i>ivabradine</i>	79
ibu	6	INREBIC	23	<i>ivermectin</i>	54
ibuprofen	6	<i>insulin asp prt-insulin aspart</i>	46	IWILFIN	23
icatibant	79	<i>insulin aspart u-100</i>	46	IXCHIQ (PF)	167
iclevia	90	INSULIN SYR/NDL U100 HALF MARK	119	IXIARO (PF)	167
ICLUSIG	22	INSULIN SYRINGE	104	JAKAFI	23
icosapent ethyl	81, 82	INSULIN SYRINGE	104	jantoven	70
IDHIFA	22	MICROFINE	104	JANUMET	43
ifosfamide	22	INSULIN SYRINGE NEEDLELESS	104	JANUMET XR	43
ILEVRO	149			JANUVIA	43
				JARDIANCE	43
				<i>javygtor</i>	145
				JAYPIRCA	23
				JEMPERLI	23
				<i>jencycla</i>	90
				JENTADUETO	43
				JENTADUETO XR	43

<i>jolessa</i>	90	<i>lamotrigine</i>	36	<i>lidocan iii</i>	7
<i>juleber</i>	90	<i>lanreotide</i>	157	<i>LILETTA</i>	92
JULUCA	65	<i>lansoprazole</i>	150	<i>lillow (28)</i>	92
<i>junel 1.5/30 (21)</i>	90	LANTUS SOLOSTAR U-100		<i>linezolid</i>	10
<i>junel 1/20 (21)</i>	90	INSULIN	46	<i>linezolid in dextrose 5%</i>	10
<i>junel fe 1.5/30 (28)</i>	90	LANTUS U-100 INSULIN	46	<i>LINZESS</i>	151
<i>junel fe 1/20 (28)</i>	90	<i>lapatinib</i>	24	<i>liothyronine</i>	159
<i>junel fe 24</i>	90	<i>larin 1.5/30 (21)</i>	91	<i>LISCO</i>	121
JYLAMVO	24	<i>larin 1/20 (21)</i>	91	<i>lisinopril</i>	75
JYNNEOS (PF)	167	<i>larin 24 fe</i>	91	<i>lisinopril-hydrochlorothiazide</i>	75
KALYDECO	179	<i>larin fe 1.5/30 (28)</i>	91	LITE TOUCH INSULIN PEN	
<i>kariva (28)</i>	90	<i>larin fe 1/20 (28)</i>	91	NEEDLES	121
<i>kelnor 1/35 (28)</i>	91	<i>larissia</i>	91	LITE TOUCH INSULIN	
<i>kelnor 1/50 (28)</i>	91	<i>latanoprost</i>	174	SYRINGE	121, 122
KERENDIA	83	LAZCLUZE	24	<i>lithium carbonate</i>	85
KESIMPTA PEN	85	<i>leflunomide</i>	162	<i>lithium citrate</i>	86
<i>ketoconazole</i>	49	<i>lenalidomide</i>	24	LIVTENCITY	68
<i>ketorolac</i>	6, 149	LETOCILIN S	14	LOKELMA	151
KEYTRUDA	24	LENVIMA	25	LONSURF	25
KIMMTRAK	24	<i>lessina</i>	91	<i>loperamide</i>	151
KINERET	162	<i>letrozole</i>	25	<i>lopinavir-ritonavir</i>	65
KINRIX (PF)	167	<i>leucovorin calcium</i>	172	LOQTORZI	25
<i>kionex (with sorbitol)</i>	151	LEUKERAN	25	<i>lorazepam</i>	9
KISQALI	24	<i>leuprolide</i>	25	<i>lorazepam intensol</i>	9
KISQALI FEMARA CO-		<i>leuprolide (3 month)</i>	25	LORBRENA	25
PACK	24	<i>levetiracetam</i>	36	<i>losartan</i>	74
KLISYRI	97	<i>levobunolol</i>	174	<i>losartan-hydrochlorothiazide</i>	74
<i>klor-con m10</i>	174	<i>levocetirizine</i>	51	LOTEMAX	149
<i>klor-con m15</i>	175	<i>levofloxacin</i>	15	LOTEMAX SM	149
<i>klor-con m20</i>	175	<i>levofloxacin in d5w</i>	15	<i>loteprednol etabonate</i>	150
KLOXXADO	7	<i>levonest (28)</i>	91	<i>lovastatin</i>	82
KOSELUGO	24	<i>levonorgestrel-eth.estriadiol-iron</i>	91	<i>low-ogestrel (28)</i>	92
<i>kosher prenatal plus iron</i>	182	<i>levonorgestrel-ethinyl estrad</i>	91	<i>loxapine succinate</i>	60
KRAZATI	24	<i>levonorg-eth estrad triphasic</i>	91	<i>lubiprostone</i>	151
<i>kurvelo (28)</i>	91	<i>levora-28</i>	92	LUMAKRAS	25
KYLEENA	91	<i>levothyroxine</i>	159	LUMIGAN	174
KYNMOBI	55, 56	LEXIVA	65	LUNSUMIO	25
<i>labetalol</i>	77	LIBERVANT	37	LUPRON DEPOT	26, 157
<i>lacosamide</i>	36	<i>lidocaine</i>	7	LUPRON DEPOT (3 MONTH)	
<i>lactulose</i>	151	<i>lidocaine hcl</i>	6		25, 157
<i>lamivudine</i>	65	<i>lidocaine viscous</i>	7	LUPRON DEPOT (4 MONTH)	26
<i>lamivudine-zidovudine</i>	65	<i>lidocaine-prilocaine</i>	7	LUPRON DEPOT (6 MONTH)	26

LUPRON DEPOT-PED.....	158	MAXICOMFORT SAFETY	
LUPRON DEPOT-PED (3		PEN NEEDLE.....	123
MONTH).....	158	MAYZENT	86
<i>lurasidone</i>	60	MAYZENT STARTER(FOR	
<i>lutera (28)</i>	92	1MG MAINT).....	86
LYBALVI.....	60	MAYZENT STARTER(FOR	
<i>lyeq</i>	92	2MG MAINT).....	86
LYNPARZA.....	26	<i>meclizine</i>	53
LYSODREN.....	26	<i>medroxyprogesterone</i>	159
LYTGOBI.....	26	<i>mefloquine</i>	54
<i>lyza</i>	92	<i>megestrol</i>	26, 159
MAGELLAN INSULIN		MEKINIST	26
SAFETY SYRNG	122	MEKTOVI.....	26
MAGELLAN SYRINGE	122	<i>meloxicam</i>	6
<i>magnesium sulfate</i>	175	<i>memantine</i>	40
<i>malathion</i>	100	MENACTRA (PF).....	167
<i>maraviroc</i>	65	MENQUADFI (PF).....	167
MARGENZA.....	26	MENVEO A-C-Y-W-135-DIP	
<i>marlissa (28)</i>	92	(PF).....	167
<i>marnatal-f</i>	182	<i>mercaptopurine</i>	26
MARPLAN.....	41	<i>meropenem</i>	13
MATULANE.....	26	<i>mesalamine</i>	170, 171
MAVENCLAD (10 TABLET		<i>mesna</i>	172
PACK).....	86	<i>metformin</i>	44
MAVENCLAD (4 TABLET		<i>methadone</i>	4
PACK).....	86	<i>methazolamide</i>	174
MAVENCLAD (5 TABLET		<i>methenamine hippurate</i>	10
PACK).....	86	<i>methimazole</i>	159
MAVENCLAD (6 TABLET		<i>methocarbamol</i>	180
PACK).....	86	<i>methotrexate sodium</i>	26, 27
MAVENCLAD (7 TABLET		<i>methotrexate sodium (pf)</i>	26
PACK).....	86	<i>methoxsalen</i>	97
MAVENCLAD (8 TABLET		<i>methsuximide</i>	37
PACK).....	86	<i>methylphenidate hcl</i>	86
MAVENCLAD (9 TABLET		<i>methylprednisolone</i>	156
PACK).....	86	<i>methylprednisolone acetate</i>	156
MAXICOMFORT II PEN		<i>metoclopramide hcl</i>	152
NEEDLE	122	<i>metolazone</i>	80
MAXICOMFORT INSULIN		<i>metoprolol succinate</i>	77
SYRINGE	122, 123	<i>metoprolol tartrate</i>	77
MAXI-COMFORT INSULIN		<i>metronidazole</i>	10, 51, 97
SYRINGE	123	<i>metronidazole in nacl (iso-os)</i>	10
		<i>metyrosine</i>	79
		<i>micafungin</i>	49
		<i>miconazole-3</i>	49
		MICRODOT INSULIN PEN	
		NEEDLE	123
		MICRODOT READYGARD	
		PEN NEEDLE	123
		<i>microgestin 1.5/30 (21)</i>	92
		<i>microgestin 1/20 (21)</i>	92
		<i>microgestin 24 fe</i>	92
		<i>microgestin fe 1.5/30 (28)</i>	92
		<i>microgestin fe 1/20 (28)</i>	92
		<i>midodrine</i>	73
		<i>mifepristone</i>	44
		<i>mili</i>	92
		<i>mimvey</i>	155
		MINI ULTRA-THIN II	123
		<i>minitran</i>	83
		<i>minocycline</i>	16
		<i>minoxidil</i>	83
		MIPLYFFA	145
		MIRENA	92
		<i>mirtazapine</i>	41, 42
		<i>misoprostol</i>	150
		<i>mitoxantrone</i>	27
		M-M-R II (PF)	167
		<i>m-natal plus</i>	182
		<i>modafinil</i>	181
		<i>moexipril</i>	75
		<i>molindone</i>	60
		<i>mometasone</i>	99, 150
		MONOJECT INSULIN	
		SAFETY SYRING	124
		MONOJECT INSULIN	
		SYRINGE	124, 125
		MONOJECT SYRINGE	123
		MONOJECT ULTRA	
		COMFORT INSULIN	139
		<i>mono-linyah</i>	92
		<i>montelukast</i>	177
		<i>morphine</i>	4
		MORPHINE	4

<i>morphine concentrate</i>	4	<i>neuac</i>	97	NOVOLIN N NPH U-100	
MOUNJARO	44	NEULASTA ONPRO	71	INSULIN	47
MOVANTIK	152	<i>nevirapine</i>	66	NOVOLIN R FLEXPEN	47
<i>moxifloxacin</i>	15, 147	<i>newgen</i>	182	NOVOLIN R REGULAR U100	
<i>moxifloxacin-sod.ace,sul-water</i>	15	NEXLETOL	82	INSULIN	47
<i>moxifloxacin-sod.chloride(iso)</i>	15	NEXLIZET	82	NOVOTWIST	125
MRESVIA (PF)	167	NEXPLANON	92	NUBEQA	27
MULTAQ	76	<i>niacin</i>	82	NUCALA	179
<i>mupirocin</i>	97	<i>niacor</i>	82	NULOJIX	163
MVASI	27	NICOTROL NS	8	NUPLAZID	60
<i>mycophenolate mofetil</i>	162, 163	<i>nifedipine</i>	79	NURTEC ODT	52
<i>mycophenolate mofetil (hcl)</i>	162	NIKTIMVO	163	<i>nyamyc</i>	49
<i>mycophenolate sodium</i>	163	<i>nilutamide</i>	27	<i>nylia 1/35 (28)</i>	93
<i>mynatal</i>	182	NINLARO	27	<i>nylia 7/7/7 (28)</i>	93
<i>mynatal advance</i>	182	<i>nitazoxanide</i>	54	<i>nymyo</i>	93
<i>mynatal plus</i>	182	<i>nitisinone</i>	145	<i>nystatin</i>	50
<i>mynatal-z</i>	182	<i>nitrofurantoin macrocrystal</i>	10	<i>nystatin-triamcinolone</i>	50
<i>mynate 90 plus</i>	182	<i>nitroglycerin</i>	83, 173	<i>nystop</i>	50
MYRBETRIQ	153	<i>niva-plus</i>	182	NYVEPRIA	71
<i>nabumetone</i>	6	NIVESTYM	71	<i>obstetrix dha</i>	182
<i>nafcillin</i>	14	NORDITROPIN FLEXPRO	158	<i>obstetrix dha prenatal duo</i>	182
<i>naloxone</i>	7, 8	<i>norelgestromin-ethin.estradiol</i>	93	<i>o-cal prenatal</i>	183
<i>naltrexone</i>	8	<i>norethindrone (contraceptive)</i>	93	OCREVUS	86
<i>naproxen</i>	6	<i>norethindrone acetate</i>	159	OCREVUS ZUNOVO	86
<i>naratriptan</i>	51	<i>norethindrone-e.estradiol-iron</i>	93	<i>octreotide acetate</i>	158
NATACYN	147	<i>norgestimate-ethinyl estradiol</i>	93	ODEFSEY	66
<i>nateglinide</i>	44	<i>norlyda</i>	93	ODOMZO	27
NATPARA	171	<i>nortrel 1/35 (21)</i>	93	OFEV	179
NAYZILAM	37	<i>nortrel 1/35 (28)</i>	93	<i>ofloxacin</i>	148
<i>nebivolol</i>	77	<i>nortrel 7/7/7 (28)</i>	93	OGIVRI	27
<i>nefazodone</i>	42	<i>nortriptyline</i>	42	OGSIVEO	27
<i>neomycin</i>	9	NORVIR	66	OJEMDA	27
<i>neomycin-bacitracin-poly-hc</i>	147	NOVOFINE 30	125	OJJAARA	27
<i>neomycin-bacitracin-polymyxin</i>	147	NOVOFINE 32	125	<i>olanzapine</i>	60
<i>neomycin-polymyxin b-dexameth</i>	147	NOVOFINE PLUS	125	<i>olmesartan</i>	74
<i>neomycin-polymyxin-gramicidin</i>	147	NOVOLIN 70/30 U-100		<i>olmesartanamlodipin-hctiazid</i>	74
<i>neomycin-polymyxin-hc</i>	147	INSULIN	46	<i>olmesartan-hydrochlorothiazide</i>	74
<i>neo-polycin</i>	148	NOVOLIN 70-30 FLEXPEN		<i>olopatadine</i>	146
<i>neo-polycin hc</i>	148	U-100	46	<i>omega-3 acid ethyl esters</i>	82
NERLYNX	27	NOVOLIN N FLEXPEN	46	<i>omeprazole</i>	151
		PLUS		OMNIPOD 5 (G6/LIBRE 2	
				PLUS)	125

OMNIPOD 5 G6-G7 INTRO		OZEMPIC	44
KT(GEN5).....	125	pacerone	76
OMNIPOD 5 G6-G7 PODS		paclitaxel protein-bound	28
(GEN 5).....	125	paliperidone	60
OMNIPOD 5		PANRETIN	97
INTRO(G6/LIBRE2PLUS).....	125	pantoprazole	151
OMNIPOD CLASSIC PDM		paricalcitol	171
KIT(GEN 3).....	125	paromomycin	54
OMNIPOD CLASSIC PODS		paroxetine hcl	42
(GEN 3).....	125	PAXLOVID	68
OMNIPOD DASH INTRO KIT		pazopanib	28
(GEN 4).....	125	PEDIARIX (PF)	167
OMNIPOD DASH PDM KIT		PEDVAX HIB (PF)	168
(GEN 4).....	125	peg 3350-electrolytes	152
OMNIPOD DASH PODS		PEGASYS	69
(GEN 4).....	125	peg-electrolyte soln	152
ONAPGO	56	PEMAZYRE	28
ondansetron	53	pemetrexed	28
ondansetron hcl	53	pemetrexed disodium	28
ONTRUZANT	27	PEMRYDI RTU	28
ONUREG	27	PEN NEEDLE	117, 126, 128
OPDIVO	27	PEN NEEDLE, DIABETIC	108, 109, 123, 125, 126, 128
OPDIVO QVANTIG	28	PEN NEEDLE, DIABETIC,	
OPDUALAG	28	SAFETY	129
OPSUMIT	181	PENBRAYA (PF)	168
ORENCIA	163	PENBRAYA MENACWY	
ORENCIA (WITH MALTOSE)		COMPONENT(PF)	168
.....	163	PENBRAYA MENB	
ORENCIA CLICKJECT	163	COMPONENT (PF)	168
ORFADIN	145	penicillamine	154
ORGOVYX	158	penicillin g potassium	14
ORILISSA	158	penicillin g procaine	14
ORKAMBI	180	penicillin v potassium	14
ORSERDU	28	PENTACEL (PF)	168
oseltamivir	68	pentamidine	55
OTEZLA	163	PENTIPS PEN NEEDLE	126
OTEZLA STARTER	163	pentoxifylline	72
oxandrolone	154	perindopril erbumine	75
oxcarbazepine	37	periogard	96
oxybutynin chloride	153	permethrin	100
oxycodone	4, 5	perphenazine	61
oxycodone-acetaminophen	5	perphenazine-amitriptyline	42
		PERSERIS	61
		phenelzine	42
		phenobarbital	37
		PHENYTEK	37
		phenytoin	37
		phenytoin sodium	37
		phenytoin sodium extended	37
		PIFELTRO	66
		pilocarpine hcl	96, 174
		pimecrolimus	99
		pimozide	61
		pimtrea (28)	93
		pioglitazone	44
		pioglitazone-metformin	44
		PIP PEN NEEDLE	126
		piperacillin-tazobactam	15
		PIQRAY	28
		pirfenidone	180
		pirmella	93, 94
		pitavastatin calcium	82
		PLEGRIDY	86, 87
		pnv 29-1	183
		pnv-dha + docusate	183
		pnv-omega	183
		podofilox	97
		polycin	148
		polymyxin b sulf-trimethoprim	148
		POMALYST	28
		portia 28	94
		posaconazole	50
		potassium chloride	175
		potassium citrate	175
		pr natal 400	183
		pr natal 400 ec	183
		pr natal 430	183
		pr natal 430 ec	183
		pramipexole	56
		prasugrel hcl	72
		pravastatin	82
		praziquantel	55
		prazosin	73

<i>prednisolone</i>	156	PROCALAMINE 3%	73	<i>ramipril</i>	75
<i>prednisolone acetate</i>	150	<i>prochlorperazine</i>	53	<i>ranolazine</i>	79
<i>prednisolone sodium phosphate</i>		<i>prochlorperazine edisylate</i>	53, 61	<i>rasagiline</i>	56
.....	156, 157	<i>prochlorperazine maleate</i>	53	RASUVO (PF)	163
<i>prednisone</i>	157	<i>procto-med hc</i>	99	RAYALDEE	171
<i>pregabalin</i>	37	<i>proctosol hc</i>	99	<i>reclipsen (28)</i>	94
PREHEVBARIO (PF)	168	<i>proctozone-hc</i>	99	RECOMBIVAX HB (PF)	169
PREMARIN	155, 156	PRODIGY INSULIN		RELENZA DISKHALER	68
PREMPHASE	156	SYRINGE	127	<i>repaglinide</i>	44
PREMPRO	156	<i>progesterone micronized</i>	159	REPATHA PUSHTRONEX	82
<i>prenatal true</i>	183	PROGRAF	163	REPATHA SURECLICK	82
<i>prenaissance</i>	183	PROLIA	171	REPATHA SYRINGE	82
<i>prenaissance plus</i>	183	PROMACTA	71, 72	RETACRIT	72
<i>prenatabs fa</i>	183	<i>promethazine</i>	53, 54	RETEVMO	28, 29
<i>prenatal 19</i>	183	<i>promethegan</i>	54	RETROVIR	66
<i>prenatal 19 (with docusate)</i>	183	<i>propafenone</i>	76	REVUFORJ	29
<i>prenatal low iron</i>	183	<i>propranolol</i>	77	REXULTI	61
<i>prenatal plus</i>	183	<i>propylthiouracil</i>	159	REYATAZ	66
<i>prenatal plus (calcium carb)</i>	183	PROQUAD (PF)	168	REZLIDHIA	29
<i>prenatal vitamin plus low iron.</i>	183	<i>protriptyline</i>	42	REZUROCK	164
<i>prenatal-u</i>	183	PULMOZYME	145	RHOPRESSA	174
<i>preplus</i>	183	PURE COMFORT ALCOHOL		RIABNI	29
<i>pretab</i>	184	PADS	127	<i>ribavirin</i>	69
<i>prevalite</i>	82	PURE COMFORT PEN		<i>rifabutin</i>	53
PREVENT DROPSAFE PEN		NEEDLE	127, 128	<i>rifampin</i>	53
NEEDLE	126	PURE COMFORT SAFETY		<i>rilpivirine</i>	66
<i>previfem</i>	94	PEN NEEDLE	127	<i>riluzole</i>	87
PREVYMIS	68	PURIXAN	28	RINVOQ	164
PREZCOBIX	66	<i>pyrazinamide</i>	52	RINVOQ LQ	164
PREZISTA	66	<i>pyridostigmine bromide</i>	173	<i>risperidone</i>	61
PRIFTIN	52	<i>pyrimethamine</i>	55	<i>risperidone microspheres</i>	61
PRIMAQUINE	55	QINLOCK	28	<i>ritonavir</i>	66
<i>primidone</i>	37	QUADRACEL (PF)	168	RITUXAN HYCELA	29
PRIORIX (PF)	168	<i>quetiapine</i>	61	<i>rivastigmine</i>	40
PRO COMFORT ALCOHOL		<i>quinapril</i>	75	<i>rivastigmine tartrate</i>	40
PADS	127	<i>quinapril-hydrochlorothiazide</i>	75	<i>rizatriptan</i>	52
PRO COMFORT INSULIN		<i>quinidine sulfate</i>	76	<i>r-natal ob</i>	184
SYRINGE	126, 127	<i>quinine sulfate</i>	55	ROCKLATAN	174
PRO COMFORT PEN		QULIPTA	52	<i>roflumilast</i>	180
NEEDLE	127	RABAVERT (PF)	168	<i>ropinirole</i>	56
<i>probenecid</i>	50	<i>rabeprazole</i>	151	<i>rosadan</i>	97
<i>probenecid-colchicine</i>	50	<i>raloxifene</i>	156	<i>rosuvastatin</i>	82

ROTARIX	169	sharobel	94	STIVARGA	30
ROTATEQ VACCINE	169	SHINGRIX (PF)	169	STRENSIQ	145
ROZLYTREK	29	SIGNIFOR	158	streptomycin	10
RUBRACA	29	sildenafil (pulm.hypertension)	181	STRIBILD	67
rufinamide	37, 38	silver sulfadiazine	98	STRIVERDI RESPIMAT	178
RUKOBIA	66	SIMBRINZA	174	subvenite	38
RUXIENCE	29	simliya (28)	94	sucralfate	151
RYBELSUS	44	simvastatin	82	sulacetamide sodium	148
RYBREVANT	29	sirolimus	164	sulacetamide-prednisolone	148
RYDAPT	29	SIRTURO	53	sulfadiazine	15
RYKINDO	61	SKY SAFETY PEN NEEDLE	129	sulfamethoxazole-trimethoprim	15
RYTELO	29	SKYLA	94	sulfasalazine	171
SAFESNAP INSULIN		SKYRIZI	164	sulindac	6
SYRINGE	128, 129	sodium chloride 0.45 %	175	sumatriptan	52
SAFETY PEN NEEDLE	129	sodium chloride 0.9 %	176	sumatriptan succinate	52
SANTYL	97	sodium fluoride-pot nitrate	96	sunitinib malate	30
sapropterin	145	sodium oxybate	181	SUNLENCA	67
SAVELLA	87	sodium polystyrene sulfonate	152	SURE COMFORT ALCOHOL	
SCEMBLIX	29, 30	sodium,potassium,mag sulfates	152, 153	PREP PADS	130
scopolamine base	54	solifenacin	153	SURE COMFORT INS. SYR.	
SECUADO	62	SOLIQUA 100/33	47	U-100	129
SECURESAFE INSULIN		SOLTAMOX	30	SURE COMFORT INSULIN	
SYRINGE	129	SOMATULINE DEPOT	158	SYRINGE	130
SECURESAFE PEN NEEDLE	129	SOMAVERT	158	SURE COMFORT PEN	
select-ob	184	sorafenib	30	NEEDLE	130
select-ob (folic acid)	184	sorine	77	SURE COMFORT SAFETY	
selegiline hcl	56	sotalol	77	PEN NEEDLE	129
selenium sulfide	97	sotalol af	77	SURE-FINE PEN NEEDLES	131
SELZENTRY	66, 67	SPIRIVA RESPIMAT	178	SURE-JECT INSULIN	
SEMGLEE(INSULIN GLARGINE-YFGN)	47	spironolactone	80	SYRINGE	131
SEMGLEE(INSULIN GLARG-YFGN)PEN	47	spironolacton-hydrochlorothiaz	80	SURE-PREP ALCOHOL PREP	
se-natal 19 chewable	184	SPRAVATO	42	PADS	131
SEREVENT DISKUS	178	sprintec (28)	94	SUTAB	153
SEROSTIM	158	SPRITAM	38	SYMPAZAN	38
sertraline	42	sps (with sorbitol)	152	SYMTUZA	67
setlakin	94	sronyx	94	SYNJARDY	44
sevelamer carbonate	153	ssd	98	SYNJARDY XR	45
sevelamer hcl	153	stavudine	67	SYNRIBO	30
SEZABY	38	STELARA	164	SYRINGE WITH NEEDLE,	
sf 5000 plus	96	STERILE PADS	129	SAFETY	129
		STIOLTO RESPIMAT	178	TABLOID	30
				TABRECTA	30

<i>tacrolimus</i>	100, 164	<i>testosterone</i>	155	<i>torsemide</i>	80
<i>tadalafil</i>	181	<i>testosterone cypionate</i>	154	TOUJEOL MAX U-300	
TAFINLAR	30	<i>testosterone enanthate</i>	154	SOLOSTAR	47
<i>tafluprost (pf)</i>	174	TETANUS,DIPHTHERIA		TOUJEOL SOLOSTAR U-300	
TAGRISSO	30	TOX PED(PF)	169	INSULIN	47
TALVEY	30	<i>tetrabenazine</i>	87	TRADJENTA	45
TALZENNA	30	<i>tetracycline</i>	16	<i>tramadol</i>	5
<i>tamoxifen</i>	30	TEVIMBRA	31	<i>tramadol-acetaminophen</i>	5
<i>tamsulosin</i>	154	THALOMID	173	<i>trandolapril</i>	76
<i>tarina 24 fe</i>	94	<i>theophylline</i>	178	<i>trandolapril-verapamil</i>	76
<i>tarina fe 1-20 eq (28)</i>	94	THINPRO INSULIN		<i>tranexamic acid</i>	72
<i>taron-c dha</i>	184	SYRINGE	133	<i>tranylcypromine</i>	42
<i>taron-prex prenatal-dha</i>	184	<i>thioridazine</i>	62	<i>travoprost</i>	174
TASIGNA	30	<i>thiothixene</i>	62	TRAZIMERA	31
TAVNEOS	164	<i>tiadylt er</i>	78	<i>trazodone</i>	42
<i>tazarotene</i>	100	<i>tiagabine</i>	38	TRECATOR	53
<i>tazicef</i>	12	TIBSOVO	31	TRELEGY ELLIPTA	179
<i>taztia xt</i>	78	TICE BCG	31	TRELSTAR	31
TAZVERIK	30	TICOVAC	169	TREMFYA	164, 165
TDVAX	169	<i>tigecycline</i>	16	TREMFYA PEN	165
TECHLITE INSULIN		<i>tilia fe</i>	94	TRESIBA FLEXTOUCH U-	
SYRINGE	132	<i>timolol</i>	174	100	47
TECHLITE INSULIN		<i>timolol maleate</i>	77, 174	TRESIBA FLEXTOUCH U-	
SYR(HALF UNIT)	131, 132	<i>tinidazole</i>	55	200	47
TECHLITE PEN NEEDLE	132	<i>tiotropium bromide</i>	178	TRESIBA U-100 INSULIN	47
TECHLITE PLUS PEN		TIVDAK	31	<i>tretinoi</i> n	100
NEEDLE	132	TIVICAY	67	<i>tretinoi</i> n (antineoplastic)	31
TECVAYLI	31	TIVICAY PD	67	<i>tri-femynor</i>	94
TEFLARO	12	<i>tizanidine</i>	180	<i>triamcinolone acetonide</i>	
<i>telmisartan</i>	74	TOBI PODHALER	10	96, 100, 157	
<i>telmisartan-hydrochlorothiazid</i>	74	<i>tobramycin</i>	148	<i>triamterene-hydrochlorothiazid</i>	80
<i>temazepam</i>	9	<i>tobramycin in 0.225 % nacl</i>	10	triazolam	9
TEMIXYS	67	<i>tobramycin sulfate</i>	10	<i>trientine</i>	154
TENIVAC (PF)	169	<i>tobramycin-dexamethasone</i>	148	<i>tri-estarrylla</i>	94
<i>tenofovir disoproxil fumarate</i>	67	<i>tolterodine</i>	153	<i>trifluoperazine</i>	62
TEPMETKO	31	TOPCARE CLICKFINE	133	<i>trifluridine</i>	148
<i>terazosin</i>	154	TOPCARE ULTRA		<i>trihexyphenidyl</i>	56
<i>terbinafine hcl</i>	50	COMFORT	134	TRIJARDY XR	45
<i>terconazole</i>	51	<i>topiramate</i>	38	<i>tri-legest fe</i>	94
<i>teriparatide</i>	171	<i>toposar</i>	31	<i>tri-linyah</i>	94
TERUMO INSULIN		<i>toremifene</i>	31	<i>tri-lo-estarrylla</i>	94
SYRINGE	133	<i>torpenz</i>	31	<i>tri-lo-marzia</i>	95

<i>tri-lo-mili</i>	95	TWINRIX (PF).....	169
<i>tri-lo-sprintec</i>	95	TYBOST.....	173
<i>trimethoprim</i>	10	TYMLOS.....	172
<i>tri-mili</i>	95	TYPHIM VI.....	170
<i>trimipramine</i>	42	UBRELVY.....	52
TRINTELLIX.....	42	ULTICARE.....	137, 138
<i>tri-nymyo</i>	95	ULTICARE INSULIN SYRINGE.....	137
<i>tri-previfem</i> (28).....	95	ULTICARE INSULN SYR(HALF UNIT).....	136
<i>tri-sprintec</i> (28).....	95	ULTICARE PEN NEEDLE....	137
TRIUMEQ.....	67	ULTICARE SAFETY PEN NEEDLE.....	137
TRIUMEQ PD.....	67	ULTIGUARD SAFEPACK- INSULIN SYR.....	138
<i>triveen-duo dha</i>	184	ULTIGUARD SAFEPACK- PEN NEEDLE.....	138
<i>trivora</i> (28).....	95	ULTILET ALCOHOL SWAB.	138
<i>tri-vylibra</i>	95	ULTILET INSULIN SYRINGE	120, 138, 139
<i>tri-vylibra lo</i>	95	ULTILET PEN NEEDLE.....	139
TRIZIVIR.....	67	ULTRA CMFT INS SYR (HALF UNIT).....	118, 129
TROGARZO.....	67	ULTRA COMFORT INSULIN SYRINGE.....	112, 118, 139
<i>trospium</i>	154	ULTRA FLO INSUL SYR(HALF UNIT).....	139
TRUE COMFORT ALCOHOL PADS.....	134	ULTRA FLO INSULIN SYRINGE.....	140
TRUE COMFORT INSULIN SYRINGE.....	134	ULTRA FLO PEN NEEDLE	139, 140
TRUE COMFORT PEN NEEDLE.....	134, 135	ULTRA THIN PEN NEEDLE.	140
TRUE COMFORT PRO ALCOHOL PADS.....	135	ULTRACARE INSULIN SYRINGE.....	140
TRUE COMFORT PRO INS SYRINGE.....	134, 135	ULTRACARE PEN NEEDLE.	141
TRUE COMFORT SAFE INSULIN SYRG.....	134, 135	ULTRA-FINE INS SYR (HALF UNIT).....	141
TRUE COMFORT SAFETY PEN NEEDLE.....	134	ULTRA-FINE PEN NEEDLE..	141
TRUEPLUS INSULIN.....	136	ULTRA-THIN II (SHORT) INS SYR.....	141, 142
TRUEPLUS PEN NEEDLE	135, 136	ULTRA-THIN II (SHORT) PEN NDL.....	142
TRULICITY.....	45		
TRUMENBA.....	169		
TRUQAP.....	31		
TRUXIMA.....	31		
TUKYSA.....	31		
TURALIO.....	31		
<i>turqoz</i> (28).....	95		
		ULTRA-THIN II INS PEN NEEDLES.....	142
		ULTRA-THIN II INSULIN SYRINGE.....	141
		UNIFINE PEN NEEDLE.....	142
		UNIFINE PENTIPS.....	125, 142
		UNIFINE PENTIPS MAXFLOW.....	142
		UNIFINE PENTIPS PLUS	142, 143
		UNIFINE PENTIPS PLUS MAXFLOW.....	142
		UNIFINE PROTECT.....	143
		UNIFINE SAFECONTROL.....	143
		UNIFINE SAFECONTROL PEN NEEDLE.....	143
		UNIFINE ULTRA PEN NEEDLE.....	143
		UPTRAVI.....	181, 182
		<i>ursodiol</i>	152
		UZEDY.....	62
		<i>valacyclovir</i>	69
		VALCHLOR.....	97
		<i>valganciclovir</i>	69
		<i>valproate sodium</i>	38
		<i>valproic acid</i>	38
		<i>valproic acid (as sodium salt)</i>	38
		<i>valsartan</i>	74
		<i>valsartan-hydrochlorothiazide</i> ...	74
		VALTOCO.....	38
		<i>valtya</i>	95
		<i>vancomycin</i>	11
		VANFLYTA.....	32
		VANISHPOINT INSULIN SYRINGE.....	144
		VANISHPOINT SYRINGE	143, 144
		VAQTA (PF).....	170
		<i>varenicline tartrate</i>	8
		VARIVAX (PF).....	170
		VAXCHORA VACCINE.....	170
		VEGZELMA.....	32

VELTASSA	152	VONJO	32	YERVOY	33
VEMLIDY	67	VORANIGO	32	YF-VAX (PF)	170
VENCLEXTA	32	<i>voriconazole</i>	50	YONSA	33
VENCLEXTA STARTING PACK	32	VOSEVI	69	<i>yuvafem</i>	156
<i>venlafaxine</i>	42, 43	VOWST	173	<i>zafemy</i>	95
VEOZAH	173	<i>vp-ch-pnv</i>	184	<i>zafirlukast</i>	177
<i>verapamil</i>	78	<i>vp-pnv-dha</i>	184	<i>zaleplon</i>	181
VERIFINE INSULIN SYRINGE	144	VRAYLAR	62	<i>zatean-pn dha</i>	184
VERIFINE PEN NEEDLE	144	VUMERTY	87	<i>zatean-pn plus</i>	184
VERIFINE PLUS PEN NEEDLE	144	VYALEV	56	ZEGALOGUE AUTOINJECTOR	173
VERIFINE PLUS PEN NEEDLE-SHARP	144	<i>vylibra</i>	95	ZEGALOGUE SYRINGE	173
VERQUVO	79	VYLOY	32	ZEJULA	33
VERSACLOZ	62	VYZULTA	174	ZELBORA F	33
VERSALON	145	<i>warfarin</i>	71	<i>zenatane</i>	97
VERZENIO	32	WEBCOL	145	ZENPEP	146
V-GO 20	145	WELIREG	32	<i>zidovudine</i>	68
V-GO 30	145	WINREVAIR	180	ZIIHERA	34
V-GO 40	145	<i>wixela inh</i>	177	<i>zingiber</i>	184
vienna	95	XALKORI	32, 33	<i>ziprasidone hcl</i>	63
<i>vigabatrin</i>	38	XARELTO	71	<i>ziprasidone mesylate</i>	63
<i>vigadron</i>	38, 39	XARELTO DVT-PE TREAT		ZIRABEV	34
<i>vigpoder</i>	39	30D START	71	ZIRGAN	148
<i>vilazodone</i>	43	XATMEP	33	ZOLADEX	34
<i>vinorelbine</i>	32	XCOPRI	39	ZOLINZA	34
<i>viorele (28)</i>	95	XCOPRI MAINTENANCE		<i>zolpidem</i>	181
VIRACEPT	67	PACK	39	ZONISADE	39
VIREAD	67, 68	XCOPRI TITRATION PACK	39	<i>zonisamide</i>	39
<i>virt-c dha</i>	184	XDEMVY	148	<i>zovia 1-35 (28)</i>	96
<i>virt-nate dha</i>	184	XELJANZ	165	ZTALMY	39
<i>virt-pn dha</i>	184	XELJANZ XR	165	ZTLIDO	7
<i>virt-pn plus</i>	184	XERMELO	152	ZURZUVAE	43
<i>vitafol gummies</i>	184	XGEVA	172	ZYDELIG	34
<i>vitafol nano</i>	184	XIFAXAN	11	ZYKADIA	34
<i>vitafol-ob+dha</i>	184	XIGDUO XR	45	ZYLET	148
VITRAKVI	32	XIIDRA	150	ZYNLONTA	34
VIZIMPRO	32	XOLAIR	180	ZYNYZ	34
VOCABRIA	68	XOSPATA	33	ZYPREXA RELPREVV	63
<i>volnea (28)</i>	95	XPOVIO	33		
		XTANDI	33		
		<i>xulane</i>	95		
		XULTOPHY 100/3.6	47		
		XYOSTED	155		

This formulary was updated on 03/19/2025.

For more recent information or other questions, please contact McLaren Medicare Member Services at 833-358-2404 or, for TTY users, 711. Our hours of operation are: April 1-Sept. 30: Monday through Friday, 8 a.m. to 8 p.m. Oct. 1-March 31: Seven days a week, 8 a.m. to 8 p.m. (except Thanksgiving and Christmas days) or visit www.mclarenhealthplan.org/mclarenmedicare for additional information.



McLaren Medicare is an HMO/HMO-POS with a Medicare contract.
Enrollment in McLaren Medicare depends on contract renewal.